

GENERAL ASSEMBLY OF NORTH CAROLINA  
SESSION 2013

H.B. 1015  
Jun 17, 2013  
HOUSE PRINCIPAL CLERK

H

D

HOUSE DRH70452-LBx-139 (06/12)

Short Title: Bessemer City Annexation. (Local)

Sponsors: Committee on Rules, Calendar, and Operations of the House.

Referred to:

A BILL TO BE ENTITLED

AN ACT ANNEXING CERTAIN DESCRIBED PROPERTY TO THE CORPORATE  
LIMITS OF THE CITY OF BESSEMER CITY.

The General Assembly of North Carolina enacts:

**SECTION 1.** The corporate limits of the City of Bessemer City are extended by  
adding the following described territory:

Lying and being in Gaston County, North Carolina, and being a portion of Crowders  
Mountain Road (S.R. 1302) and Interstate Highway # 85.

Beginning at an existing iron pin located on the existing city limit line of Bessemer  
City and the western R/W of Crowders Mountain Road; said iron being the southeastern corner  
of Luther E. Brooks (D.B. 1234, Pg. 702) as recorded in the Gaston County Register of Deeds  
and the northeastern corner of Gaston County (D.B. 1826, Pg. 227); said point also being  
located N 11-22-21 E, a ground horizontal distance of 7,803.56' from NCGS Station "Grate"  
having coordinates of N. = 554,067.68' and E. = 1,313,520.10', thence crossing said road and  
with the city limit line, S 57-08-08 E, a distance of 67.90' to a point on the eastern right-of-way  
of Crowders Mountain Road; thence following three calls along the eastern R/W of said road  
and the city limit line as follows, (a) Along the arc of a curve to the left, having a radius of  
490.70' and an arc of 38.30' and also having a long chord bearing and distance of S 01-08-31 W  
- 38.29' to a point, (b) Along the arc of a curve to the left, having a radius of 490.70' and an arc  
of 64.90' and also having a long chord bearing and distance of S 04-52-59 E - 64.85' to a point  
and, (c) S 08-32-52 E, a distance of 90.57' to a point; thence running along the easterly R/W of  
said road thirty-seven calls as follows, (1) S 10-36-54 E, a distance of 81.51' to a point, (2) S  
11-44-23 E, a distance of 101.94' to a point, (3) S 11-02-23 E, a distance of 104.39' to a point,  
(4) S 11-52-27 E, a distance of 344.18' to a point, (5) S 11-39-50 E, a distance of 104.36' to a  
point, (6) S 11-41-38 E, a distance of 110.20' to a point, (7) S 11-25-23 E, a distance of 258.85'  
to a point, (8) S 11-27-46 E, a distance of 71.05' to a point, (9) S 11-56-47 E, a distance of  
242.35' to a point, (10) S 11-32-16 E, a distance of 218.20' to a point, (11) S 11-42-55 E, a  
distance of 98.41' to a point, (12) S 11-29-12 E, a distance of 86.64' to a point, (13) S 11-00-42  
E, a distance of 106.63' to a point, (14) S 10-59-40 E, a distance of 100.06' to a point, (15) S  
11-04-17 E, a distance of 100.58' to a point, (16) S 11-17-10 E, a distance of 106.91' to a point,  
(17) S 11-31-28 E, a distance of 557.38' to a point, (18) S 11-27-19 E, a distance of 99.62' to a  
point, (19) S 11-44-20 E, a distance of 105.11' to a point, (20) Along the arc of a curve to the  
left having a radius of 4,703.30' and an arc of 306.60', and also having a long chord bearing and  
distance of S 13-41-22 E - 306.55' to a point, (21) S 15-17-54 E, a distance of 48.23' to a point,  
(22) S 15-41-14 E, a distance of 102.44' to a point, (23) S 16-23-08 E, a distance of 98.37' to a



1 point, (24) S 16-44-05 E, a distance of 98.13' to a point, (25) S 16-40-50 E, a distance of 99.33'  
2 to a point, (26) S 16-51-44 E, a distance of 103.24' to a point, (27) S 17-05-36 E, a distance of  
3 48.39' to a point, (28) S 17-03-06 E, a distance of 102.15' to a point, (29) S 16-39-36 E, a  
4 distance of 102.48' to a point, (30) S 16-28-53 E, a distance of 101.40' to a point, (31) S  
5 16-21-32 E, a distance of 103.27' to a point, (32) S 16-14-19 E, a distance of 104.54' to a point,  
6 (33) S 15-51-30 E, a distance of 67.56' to a point, (34) Along the arc of a curve to the right,  
7 having a radius of 1,340.92' and an arc of 374.13' and also having a long chord bearing and  
8 distance of, S 07-38-11 E – 372.93' to a point, (35) S 00-47-32 E, a distance of 93.55' to a  
9 point, (36) N 60-39-01 E, a distance of 20.00' to a leaning concrete R/W monument, and (37) S  
10 02-09-01 W, a distance of 363.21' to a concrete R/W monument located at the northeastern  
11 right-of-way of Crowders Mountain Road and U.S. Interstate Highway # 85; thence along the  
12 northerly right-of-way of Interstate Highway # 85 as follows, N 49-55-21 E, a distance of  
13 751.37' to a point; thence N 39-57-59 E, a distance of 20.00' to a point; thence N 50-02-01 E, a  
14 distance of 204.01' to a point; thence N 52-14-38 E, a distance of 308.41' to a point; thence  
15 along the arc of a curve to the right, having a radius of 3,962.47' and an arc of 345.89' and also  
16 having a long chord bearing and distance of N 54-50-58 E – 354.77' to a point; thence S  
17 32-35-05 E, a distance of 20.00' to a point; thence along the arc of a curve to the right, having a  
18 radius of 3,942.47' and an arc of 611.89' and also having a long chord bearing and distance of N  
19 61-51-41 E – 611.28' to a point; thence N 23-41-32 W, a distance of 25.81' to a point; thence N  
20 65-44-26 E, a distance of 118.22' to a point; thence S 15-59-23 E, a distance of 28.90' to a  
21 point; thence N 68-42-40 E, a distance of 102.00' to a point, thence N 20-32-52 W, a distance  
22 of 60.00' to a point; thence along the arc of a curve to the right, having a radius of 4,002.47' and  
23 an arc of 519.44' and also having a long chord bearing and distance of N 73-10-13 E – 519.08'  
24 to a point; thence S 13-06-43 E, a distance of 60.00' to a point; thence along the arc of a curve  
25 to the right, having a radius of 3,942.47' and an arc of 517.33' and also having a long chord  
26 bearing and distance of N 80-38-50 E – 516.96' to a point; thence N 85-02-37 E, a distance of  
27 603.58' to a point; thence N 03-57-59 W, a distance of 30.00' to a point; thence N 86-02-01 E, a  
28 distance of 400.00' to a point; thence S 03-57-59 E, a distance of 30.00' to a point; thence N  
29 86-00-16 E, a distance of 599.00' to a point; thence N 03-57-59 W, a distance of 20.00' to a  
30 point; thence N 86-02-01 E, a distance of 200.00' to a point; thence S 03-57-59 E, a distance of  
31 20.00' to a point; thence N 85-52-26 E, a distance of 651.00' to a point; thence N 03-31-04 W, a  
32 distance of 92.83' to a point; thence along the arc of a curve to the left, having a radius of  
33 7,451.43' and an arc of 436.99' and also having a long chord bearing and distance of N  
34 84-47-39 E – 436.93' to a point; thence S 05-38-11 E, a distance of 60.43' to a point; thence  
35 along the arc of a curve to the left, having a radius of 7,475.43 and an arc of 1,078.63' and also  
36 having a long chord bearing and distance of N 78-58-20 E – 1,077.69' to a point; thence N  
37 15-09-41 W, a distance of 20.00' to a point; thence along the arc of a curve to the left, having a  
38 radius of 7,455.43' and an arc of 387.36' and also having a long chord bearing and distance of N  
39 73-21-01 E – 387.32' to a point; thence S 18-08-18 E, a distance of 20.00' to a point; thence  
40 along the arc of a curve to the left, having a radius of 7,475.43' and the arc of 881.33' and also  
41 having a long chord bearing and distance of N 68-29-03 E – 880.82' to a point; thence S  
42 24-53-36 E, a distance of 32.70' to a point; thence N 65-44-10 E, a distance of 500.92' to a  
43 point; thence N 65-36-46 E, a distance of 348.70' to a point; thence N 61-32-11 E, a distance of  
44 197.00' to a point; thence along the arc of a curve to the left, having a radius of 1,302.81' and an  
45 arc of 254.50' and also having a long chord bearing and distance of N 55-59-02 E – 254.10' to a  
46 point; thence N 50-25-54 E, a distance of 192.12' to a point; thence N 46-27-07 E, a distance of  
47 489.99' to a point in the centerline of Edgewood Road (S.R. # 1307); thence with the centerline  
48 of Edgewood Road, S 31-29-07 E, a distance of 823.33' to a point on the southerly right-of-way  
49 of Interstate Highway # 85; thence along the southerly right-of-way of Interstate Highway # 85  
50 as follows, S 66-09-25 W, a distance of 36.28' to a point; thence along the arc of a curve to the  
51 right, having a radius of 546.28' and an arc of 186.60' and also having a long chord bearing and

1 distance of S 75-50-10 W – 185.69' to a point; thence S 85-31-01 W, a distance of 580.78' to a  
2 point; thence along the arc of a curve to the left, having a radius of 1,313.98' and an arc of  
3 274.72' and also having a long chord bearing and distance of S 75-24-01 W – 274.22' to a  
4 point; thence S 69-27-15 W, a distance of 195.40' to a point; thence S 65-25-06 W, a distance  
5 of 336.83' to a point; thence S 65-31-01 W, a distance of 200.00' to a point; thence S 66-01-09  
6 W, a distance of 400.76' to a point; thence along the arc of a curve to the right, having a radius  
7 of 7,765.43' and an arc of 650.68' and also having a long chord bearing and distance of S  
8 68-15-26 W – 650.49' to a point; thence S 19-20-32 E, a distance of 50.00' to a point; thence  
9 along the arc of a curve to the right, having a radius of 7,815.43' and an arc of 673.02' and also  
10 having a long chord bearing and distance of S 73-07-29 W – 672.82' to a point; thence N  
11 14-24-30 W, a distance of 40.00' to a point; thence along the arc of a curve to the right, having  
12 a radius of 7,775.43' and an arc of 917.87' and also having a long chord bearing and distance of  
13 S 78-58-25 W – 917.33' to a point; thence S 07-38-41 E, a distance of 105.00' to a point; thence  
14 along the arc of a curve to the right, having a radius of 7,880.43' and an arc of 619.18' and also  
15 having a long chord bearing and distance of S 84-36-23 W – 619.02' to a point; thence N  
16 03-08-34 W, a distance of 109.78' to a point; thence S 86-02-01 W, a distance of 598.11' to a  
17 point; thence S 03-57-59 E, a distance of 20.00' to a point; thence S 86-02-01 W, a distance of  
18 400.00' to a point; thence N 03-57-59 W, a distance of 20.00' to a point; thence S 86-02-01 W,  
19 a distance of 400.00' to a point; thence S 03-57-59 E, a distance of 30.00' to a point; thence S  
20 86-02-01 W, a distance of 400.00' to a point; thence N 03-57-59 W, a distance of 30.00' to a  
21 point; thence S 85-02-29 W, a distance of 596.19' to a point; thence along the arc of a curve to  
22 the left, having a radius of 3,682.47' and an arc of 580.02' and also having a long chord bearing  
23 and distance of S 79-53-39 W – 579.42' to a point; thence S 14-37-05 E, a distance of 20.00' to  
24 a point; thence along the arc of a curve to the left, having radius of 3,662.47' and an arc of  
25 476.01' and also having a long chord bearing and distance of S 71-39-31 W – 475.67' to a  
26 point; thence S 22-03-53 E, a distance of 20.00' to a point; thence along the arc of a curve to the  
27 left, having a radius of 3,642.47' and an arc of 477.28' and also having a long chord bearing and  
28 distance of S 64-10-53 W – 476.94' to a point; thence N 29-34-20 W, a distance of 20.00' to a  
29 point; thence along the arc of a curve to the left, having a radius of 3,662.47' and an arc of  
30 576.83' and also having a long chord bearing and distance of S 55-57-31 W – 576.27' to a  
31 point; thence N 38-35-46 W, a distance of 20.00' to a point; thence S 50-24-58 W, a distance of  
32 1,571.71' to a point located on the westerly right-of-way of Crowders Mountain Road; thence  
33 thirty-seven calls along the westerly right-of-way of Crowders Mountain Road as follows, (1)  
34 N 03-02-48 E, a distance of 754.65' to a point; thence (2) N 71-47-01 E, a distance of 20.00' to  
35 a point; thence (3) N 00-47-36 W, a distance of 123.81' to a point; thence (4) along the arc of a  
36 curve to the left, having a radius of 1,280.95' and an arc of 359.34' and also having a long chord  
37 bearing and distance of N 07-35-30 W – 358.18' to a point; thence (5) N 15-51-30 W, a  
38 distance of 67.25' to a point; thence (6) N 16-14-19 W, a distance of 104.28' to a point; thence  
39 (7) N 16-21-32 W, a distance of 103.14' to a point; thence (8) N 16-28-53 W, a distance of  
40 101.25' to a point; thence (9) N 16-39-36 W, a distance of 102.18' to a point; thence (10) N  
41 17-03-06 W, a distance of 101.92' to a point; thence (11) N 17-05-36 W, a distance of 48.48' to  
42 a point; thence (12) N 16-51-44 W, a distance of 103.46' to a point; thence (13) N 16-40-50 W,  
43 a distance of 99.40' to a point; thence (14) N 16-44-05 W, a distance of 98.92' to a point; thence  
44 (15) N 15-41-41 W, a distance of 103.00' to a point; thence (16) N 15-17-54 W, a distance of  
45 48.60' to a point; thence (17) along the arc of a curve to the right, having a radius of 4,770.88'  
46 and an arc of 312.24' and also having a long chord bearing and distance of N 13-40-25 W –  
47 312.19' to a point; thence (18) N 11-44-20 W, a distance of 103.18' to a point; thence (19) N  
48 11-27-19 W, a distance of 99.73' to a point; thence (20) N 11-31-28 W, a distance of 557.47' to  
49 a point; thence (21) N 11-17-10 W, a distance of 107.15' to a point; thence (22) N 11-04-17 W,  
50 a distance of 100.73' to a point; thence (23) N 10-59-40 W, a distance of 100.09' to a point;  
51 thence (24) N 11-00-42 W, a distance of 106.37' to a point; thence (25) N 11-29-12 W, a

1 distance of 86.28' to a point; thence (26) N 11-42-55 W, a distance of 98.39' to a point; thence  
2 (27) N 11-32-16 W, a distance of 218.08' to a point; thence (28) N 11-56-47 W, a distance of  
3 242.39' to a point; thence (29) N 11-27-46 W, a distance of 71.33' to a point; thence (30) N  
4 11-25-23 W, a distance of 258.73' to a point; thence (31) N 11-41-38 W, a distance of 110.07'  
5 to a point; thence (32) N 11-39-50 W, a distance of 104.24' to a point; thence (33) N 11-54-27  
6 W, a distance of 344.51' to a point; thence (34) N 11-02-23 W, a distance of 104.48' to a point;  
7 thence (35) N 11-44-23 W, a distance of 101.58' to a point; thence (36) N 09-31-29 W, a  
8 distance of 176.87' to a point; thence (37) along the arc of a curve to the right, having a radius  
9 of 550.70' and an arc of 146.58' and also having a long chord bearing and distance of N  
10 00-49-10 W – 146.22' to the point of beginning containing 87.8592 acres be it more or less.

11 **SECTION 2.** This act becomes effective June 30, 2013.