## GENERAL ASSEMBLY OF NORTH CAROLINA SESSION 2013

S

## SENATE BILL 581 PROPOSED COMMITTEE SUBSTITUTE S581-PCS75374-TQf-61

Establish Historical Boilers Licensing Act. Short Title: (Public) Sponsors: Referred to: April 4, 2013 1 A BILL TO BE ENTITLED 2 AN ACT TO ESTABLISH THE HISTORICAL BOILERS LICENSING ACT 3 The General Assembly of North Carolina enacts: 4 SECTION 1. Chapter 95 of the General Statutes is amended by adding the 5 following new Article to read: 6 "Article 7B. 7 "Historical Boilers Licensing Act. 8 "§ 95-69.30. Short title. This Article may be cited as the "Historical Boilers Licensing Act." 9 10 "§ 95-69.31. Definitions. The following definitions apply in this Article: 11 12 Board. - The North Carolina Historical Boilers Licensing Board. (1)Boiler. – The term shall have the same meaning as in G.S. 95-69.9(b). 13 (2)Historical boiler. - A steam boiler of riveted construction that is preserved, 14 (3) restored, or maintained for hobby or demonstration. 15 "§ 95-69.32. License required; operating historical boiler in place open to the public; 16 exemption for smaller boilers. 17 No person shall operate a historical boiler in this State in a place that is open to the public 18 19 unless both of the following requirements are satisfied: 20 (1) The person operating the boiler is licensed under this Article. The owner of the boiler holds a current valid certificate of operation for the (2)21 historical boiler in accordance with G.S. 95-69.36. 22 23 "§ 95-69.33. North Carolina Historical Boilers Licensing Board. Creation. - The North Carolina Historical Boilers Licensing Board is created. 24 (a) 25 Composition and Terms. - The Board shall consist of nine members who shall serve (b) staggered terms. The initial Board members shall be appointed on or before October 1, 2013, as 26 27 follows: 28 (1) The General Assembly, upon the recommendation of the President Pro 29 Tempore of the Senate, shall appoint two members, one of whom shall serve for a term of four years and one of whom shall serve for a term of five years. 30 The General Assembly, upon the recommendation of the Speaker of the 31 (2)32 House of Representatives, shall appoint two members, one of whom shall 33 serve for a term of three years and one of whom shall serve for a term of five 34 years.



D

General Assem	bly Of North Carolina	Session 2013
(3)	The Governor shall appoint three members, on	e of whom shall serve for a
	term of three years, one of whom shall serve f	
	one of whom shall serve for a term of five years	<u>.</u>
<u>(4)</u>	The Commissioner of Labor shall appoint two	members, one of whom shall
	serve for a term of three years and one of whom	shall serve for a term of five
	years.	
Upon the e	piration of the terms of the initial Board mem	<u>bers, each member shall be</u>
	term of five years and shall serve until a success	or is appointed. No member
	than two consecutive full terms.	
	fications Of the four members appointed by	-
	) own a historical boiler, (ii) have at least 10	• •
-	torical boilers, and (iii) be a resident of this Sta	-
	te. Of the two members appointed by the Commis	
	ed by the Boiler Safety Bureau within the Departm	nent of Labor as a boiler and
-	nspector under Article 7A of this Chapter.	
	ncies. – A vacancy shall be filled in the same	
	cept that all unexpired terms of Board member	± ± •
	be filled in accordance with G.S. 120-122 and sl	
	cy occurs. Appointees to fill vacancies shall	
	and until their successors have been duly appointed	
	oval. – The Board may remove any of its me	
-	r unprofessional conduct. A member subject to c	· · · ·
	disqualified from participating in the official bu	siness of the Board until the
charges have be (f) Com	pensation. – Each member of the Board sh	all receive per diem and
	or travel and subsistence as provided in G.S. 93B-	-
	ers. – The Board shall, by majority vote, elect a cl	
	rm and until a successor is elected and qualified.	and announcy who shall serve
	ings. – The Board shall meet at least once each	vear and at other times upon
	air. A majority of Board members constitutes a qu	
	nistrative Support The Department of Agricu	
	nd office supplies for the Board.	-
" <u>§ 95-69.34.</u> Po	wers and duties of the Board.	
The Board s	hall have the power and duty to:	
<u>(1)</u>	Adopt rules regarding the following:	
	<u>a.</u> <u>Criteria that inspectors of historical boi</u>	lers shall use in determining
	the safe operation of historical boilers.	
	b. <u>Procedures for the inspection of historica</u>	
	c. <u>Standards for riveted or welded repa</u>	airs or alterations made to
	historical boilers.	
	d. Standards and procedures for condu-	
	requirements for reporting the results o	f those tests to the Board as
	required under G.S. 95-69.36.	
	e. <u>Standards and procedures for the revo</u>	
	operator's license that include an opport	
	in accordance with Chapter 150B of the	
	<u>f.</u> <u>Standards for requalifying for licensure a</u>	
	g. <u>Standards for the public display and ope</u>	
	this State by historical boiler operators State.	s who reside outside of this
	<u>h.</u> <u>Criteria that would constitute the need for</u>	r an ultraconic test

General Assemb	ly Of North Carolina	Session 2013
	i. Standards and procedures for condu	cting ultrasonic tests.
(2)	Issue licenses to operate historical boilers	in public to persons who meet the
	requirements for licensure under this Articl	
<u>(3)</u>	Issue certificates of operation for histori	
<u></u>	required by G.S. 95-69.36.	
<u>(4)</u>	Conduct hearings in accordance with Cha	pter 150B of the General Statutes
<u></u>	for any person who appeals a decision	
	whether the person should be denied a	· · · ·
	person's historical boiler.	<u> </u>
<u>(5)</u>	Establish a fee for the inspection of histori	cal boilers in an amount sufficient
<u> </u>	to reimburse the Department of Labor	
	inspections.	
<u>(6)</u>	Create and conduct a safety program for th	e purpose of providing instruction
<u>(0)</u>	on how to properly care for, maintain, oper	· · · ·
	The program shall also include instruction	
	properly care for, maintain, operate, and ex	
	may charge a fee not to exceed forty-five	
	attending the safety program.	
<u>(7)</u>	Establish requirements for the minimum	amount of liability insurance an
	owner of a historical boiler shall carry or	
	operates in public.	
"8 95-69.35. Lie	cense to operate historical boiler in place of	open to public.
	application to the Board, the Board shall iss	
	open to the public to any person who satisfies	-
<u>(1)</u>	Is at least 16 years of age.	······································
$\frac{(2)}{(2)}$	Has completed the safety program created	d and conducted by the Board as
<u></u>	provided in G.S. 95-69.34(6).	······································
(3)	Has a minimum of 100 hours of actual or	perating experience or training in
<u>x=</u> 7	the operation of historical boilers.	
(b) A per	son who satisfies the criteria under subsecti	on (a) of this section shall pay to
	ime fee of fifty dollars (\$50.00) for the issua	
	nse issued under this section is valid for the	
	by the Board pursuant to subsection (e) of t	-
	son who is under the age of 16 may be trained	
	g as an apprentice to an operator who is licen	
	Board may revoke a license issued under t	
	adopted by the Board. A person whose lice	
	neeting the requirements for requalification	• • •
Board.		<u></u>
"§ 95-69.36. Ce	rtificate of operation and inspection of his	torical boiler.
	wner of a historical boiler operated in a place	
a current valid ce	ertificate of operation for the historical boild	er pursuant to the requirements of
this section.	*	
(b) At lea	st once every three years, inspectors design	ated by the Chief Inspector of the
Boiler Safety Bu	reau within the Department of Labor shall	inspect thoroughly, internally and
, 11 1	nder operating conditions, all historical boile	ers operated in a place open to the
externally, and u		
	storical boilers' appurtenances. Inspectors sha	all examine the smoke box, barrel,
public and the his	storical boilers' appurtenances. Inspectors shates on the states of the	
public and the his wrapped sheet, d		
public and the his wrapped sheet, d pressure relief va (c) After	ome, water column and water glass, firebox	bsection (b) of this section, the

## **General Assembly Of North Carolina** Session 2013 accordance with rules adopted by the Board. If the inspector determines that the historical 1 2 boiler is in safe operating condition, the inspector shall recommend that the Board issue a 3 certificate of operation for the historical boiler. If the Board concurs with the recommendation 4 of the inspector, the Board shall issue a certificate of operation for the historical boiler 5 inspected by that inspector. A certificate of operation is valid for a period of three years from 6 the date of issuance. 7 If the inspector does not recommend the issuance of a certificate of operation for the (d) 8 historical boiler or if the Board decides not to issue a certificate of operation, the owner of the 9 historical boiler may file an appeal with the Board, and the Board shall conduct a hearing in 10 accordance with Chapter 150B of the General Statutes. 11 The owner of the historical boiler operated in public shall display the certificate of (e) 12 operation in a prominent place on the historical boiler during its operation." 13 SECTION 2. G.S. 95-69.10 reads as rewritten: 14 "§ 95-69.10. Application of Article; exemptions. 15 . . . 16 The inspection requirements established by the Department of Labor shall not apply (h) 17 to historical boilers. The inspection requirements for historical boilers shall be established by the North Carolina Historical Boilers Licensing Board, and inspections of historical boilers 18 shall be conducted by the Department of Labor as provided in Article 7B of this Chapter and 19 20 rules adopted pursuant to Article 7B of this Chapter. For purposes of this Article and Article 7B 21 of this Chapter, the term "historical boiler" means a steam boiler of riveted construction that is 22 preserved, restored, or maintained for hobby or demonstration." 23 **SECTION 3.** The Board shall adopt rules to implement this act in accordance with 24 Chapter 150B of the General Statutes. The rules adopted by the Board shall become effective 25 October 1, 2014. 26 **SECTION 4.** A historical boiler that has been issued a valid inspection certificate 27 by the Boiler Safety Board of the Department of Labor under Article 7A of Chapter 95 of the 28 General Statutes may be operated until October 1, 2014. 29 SECTION 5. Section 2 of this act becomes effective October 1, 2014. The

30 remainder of this act is effective when it becomes law.