

GENERAL ASSEMBLY OF NORTH CAROLINA  
SESSION 2013

FILED SENATE  
May 27, 2014  
S.B. 846  
PRINCIPAL CLERK

S

D

SENATE DRS35544-LMx-189 (04/28)

Short Title: Shallotte Deannexations. (Local)

Sponsors: Senator Rabon (Primary Sponsor).

Referred to:

A BILL TO BE ENTITLED

AN ACT REMOVING CERTAIN DESCRIBED PROPERTY FROM THE CORPORATE  
LIMITS OF THE TOWN OF SHALLOTTE.

The General Assembly of North Carolina enacts:

**SECTION 1.** The following described property is removed from the corporate  
limits of the Town of Shallotte:

FIRST TRACT:

BEING all of that certain tract or parcel containing 15.60 acres more or less  
as more fully described in a survey plat dated 4 January 2005, revised 21 February 2005  
entitled "Survey for Charles Andrew Russ of 15.60 acres" prepared by James R. Tompkins,  
PLS, and recorded in Map Cabinet 32, Page 163 in the Office of the Register of Deeds for  
Brunswick County, North Carolina which plat reference is made and which is incorporated  
herein for greater certainty of description of said property.

SECOND TRACT:

BEING all right, title and interest of Grantor in and to that certain road  
right-of-way and easement as more fully described in an instrument dated 29 November 2000  
from Slickrock Development, LLC to Register Estate Corporation recorded in Deed Book  
1419, Page 51 in the Office of the Register of Deeds for Brunswick County, North Carolina  
which right-of-way and easement connects the northern line of the property herein conveyed  
with State Road 1147 (Todd Road) as more fully shown and described in said easement and in  
the plate hereinabove referenced. Reserving and preserving nevertheless a non-exclusive  
right-of-way and easement for ingress, egress and regress between State Road 1147 (Todd  
Road) and the Register Cemetery in favor of the Representatives and/or Trustees of the  
Register Cemetery and family members thereof as more fully described in an instrument  
recorded in Deed Book 1419, Page 46, Brunswick County Registry.

THIRD TRACT:

That certain Tract of land being in Lockwood Folly Township, Brunswick  
County, North Carolina, said Tract being the Tracts described in deed book 2086 page 215 and  
deed book 2415 page 511 of the Brunswick County Register of Deeds and being more fully  
described as follows: Commencing at NCGS monument Sauce Reset, said monument having  
Nad 83 grid coordinates of North 70,535.97 and East 2,178,838.44; thence South 73°54'24"  
East a distance of 7629.15 feet to NCGS monument B 161 Reset, said monument having Nad  
83 grid coordinates of North 68,420.48 and East 2,186,168.62; thence South 44°28'15"West,  
a distance of 2089.53 feet an iron rod found, the true Point of Beginning. Thence from the Point  
of Beginning, South 08°55'07" West, a distance of 204.17 feet to a point; thence South



1 07°07'05" East, a distance of 95.22 feet to a point; thence South 11°57'21" East, a distance of  
2 283.58 feet to a point; thence North 05°39'18" East, a distance of 104.98 feet to an iron rod  
3 found; thence North 89°36'15" East, a distance of 223.85 feet to an iron rod found; thence  
4 South 07°57'04" East, a distance of 68.60 feet to a point; thence South 07°57'04" East, a  
5 distance of 104.44 feet to a point; thence South 51°07'43" East, a distance of 264.88 feet to a  
6 point; thence South 42°58'09" East, a distance of 408.71 feet to a point on the western right of  
7 way of Bay Road (60' ROW); thence with said right of way, South 19°16'42" West, a distance  
8 of 72.77 feet to a point; thence leaving said right of way, North 54°11'34" West, a distance of  
9 103.79 feet to a point; thence North 47°01'40" East, a distance of 124.55 feet to a point; thence  
10 North 42°58'20" West, a distance of 319.33 feet to a point; thence South 41°15'52" West, a  
11 distance of 151.16 feet to a point; thence North 51°07'02" West, a distance of 121.56 feet to a  
12 point; thence South 37°25'11" West, a distance of 134.79 feet to a point; thence South  
13 37°25'11" West, a distance of 123.96 feet to a point; thence South 40°42'01" West, a distance of  
14 58.59 feet to a point; thence South 46°34'05" West, a distance of 46.09 feet to a point; thence  
15 South 50°42'25" West, a distance of 28.18 feet to a point; thence South 48°33'52" East, a  
16 distance of 112.43 feet to a point; thence South 41°15'52" West, a distance of 119.66 feet to a  
17 point; thence South 14°48'49" East, a distance of 50.33 feet to a point; thence South 76°16'18"  
18 West, a distance of 448.29 feet to a point; thence South 76°29'21" West, a distance of 251.75  
19 feet to a point; thence North 18°38'59" West, a distance of 288.42 feet to a point; thence South  
20 73°47'59" West, a distance of 57.92 feet to a point; thence South 71°59'06" West, a distance of  
21 162.40 feet to a point; thence South 76°50'13" West, a distance of 168.30 feet to a point; thence  
22 South 87°14'55" West, a distance of 51.88 feet to a point; thence North 66°29'30" West, a  
23 distance of 100.71 feet to a point; thence North 68°42'36" West, a distance of 108.06 feet to a  
24 point; thence North 06°12'56" East, a distance of 352.96 feet to a point; thence North 06°01'47"  
25 East, a distance of 448.48 feet to a point; thence South 76°32'40" West, a distance of 77.30 feet  
26 to a point; thence South 65°55'40" West, a distance of 271.81 feet to a point; thence South  
27 74°57'40" West, a distance of 323.67 feet to a point; thence North 02°42'40" East, a distance of  
28 49.10 feet to a point; thence North 83°51'24" West, a distance of 234.44 feet to a point; thence  
29 North 02° 20'49" East, a distance of 1237.35 feet to a point; thence South 68°27'50" East, a  
30 distance of 587.44 feet to a point; thence South 70°59'01" East, a distance of 40.77 feet to a  
31 point; thence South 68°09'35" East, a distance of 46.56 feet to a point; thence South 72°19'06"  
32 East, a distance of 65.62 feet to a point; thence South 73°33'49" East, a distance of 60.29 feet to  
33 a point; thence South 67°11'59" East, a distance of 485.15 feet to a point; thence North  
34 15°05'18" East, for a distance of 190.95 feet; thence North 88°02'30" East, for a distance of  
35 152.36 feet; thence North 87°02'30" East, for a distance of 133.34 feet; thence South 02°07'24"  
36 West, for a distance of 301.81 feet; thence South 02°07'24" West, for a distance of 50.22 feet;  
37 thence South 82°29'10" East, a distance 471.74 feet to the Point of Beginning, containing 69.14  
38 acres, more or less as shown on a plat prepared by McKim & Creed, entitled Annexation Plat  
39 of Four existing Tracts of Land Equaling 69.14 Acres and dated February 22, 2007.

40 **FOURTH TRACT:**

41 A certain tract or parcel of land lying and being in Lockwood Folly  
42 Township, Brunswick County, North Carolina and being that certain tract as described in Deed  
43 Book 1258, Page 691, Records of Brunswick County and being more particularly described as  
44 follows: Beginning at an iron stake set on the southern right-of-way of U.S. 17 (R/W varies),  
45 said iron being located by the following tie traverse: Commencing on an existing tack at the  
46 intersection of centerlines of the southbound lane of said U.S. 17 and S.R. 1131 and runs thence  
47 North 70 degrees 27 minutes 18 seconds 2703.03 feet to an existing N.C.D.O.T. Right-of-way  
48 Monument (Sta. No. 1096+00) located on the aforesaid southern right-of-way of U.S. 17;  
49 thence with said right-of-way North 67 degrees 22 minutes 39 seconds East 92.28 feet to the  
50 Point and Place of Beginning and proceeds from said beginning and with said right-of-way  
51 North 67 degrees 22 minutes 39 seconds East 279.92 feet to an iron stake set, said iron being

1 located South 67 degrees 22 minutes 39 seconds West 142.37 feet from an existing N.C.D.O.T.  
2 Right-of-Way Monument (Sta. No. 1101+14.52); thence leaving said right of way South 07  
3 degrees 19 minutes 26 seconds East 804.50 feet to an existing iron; thence North 73 degrees 42  
4 minutes 42 seconds West 347.57 feet to an existing iron pipe; thence North 02 degrees 38  
5 minutes 20 seconds West 593.41 feet to the beginning and contains 4.73 acres and being  
6 according to a survey by Jimmy D. Etheridge, P.L.S. dated January 13, 1999.

7 FIFTH TRACT:

8 Beginning at a point being a concrete monument in the south R/W of SR  
9 1147, Todd Road SW, and located North 77 degrees 10 minutes 41 Seconds West a distance of  
10 1,962.18 feet from a nail in the intersection of SR 1147 and SR 1151; Thence from said  
11 beginning point leaving said R/W and with property line of Denney B. Stevens South 08  
12 degrees 04 minutes 57 seconds West a distance of 1237.00 feet to an existing iron rod, thence  
13 continuing with Stevens South 08 degrees 10 minutes 53 seconds West a distance of 309.67  
14 feet to an existing iron rod, a corner to Stevens and Weldon Todd, thence with Todd North 61  
15 degrees 24 minutes 28 seconds West a distance of 392.55 feet to an existing iron rod, a corner  
16 to Todd and J.P. Russ, thence with Russ North 61 degrees 39 minutes 15 seconds West a  
17 distance of 573.26 feet to an existing iron rod, a corner to J.P. Russ and Charles A. Russ, thence  
18 with Russ North 61 degrees 39 minutes 15 seconds West a distance of 570.78 feet to a  
19 right-of-way disc, thence South 19 degrees 38 minutes 53 seconds West a distance of 206.14  
20 feet to a point, thence South 17 degrees 53 minutes 40 seconds West a distance of 240.01 feet  
21 to an existing iron rod (bent) a corner to Russ and Albert Joyner heirs, thence with Joyner  
22 North 80 degrees 06 minutes 43 seconds West a distance of 923.21 feet to an existing iron rod,  
23 a corner to Clifton Black, thence with Black North 09 degrees 50 minutes 38 seconds East a  
24 distance of 342.72 feet to an existing iron rod, a corner to James Johnson Heirs, thence with  
25 Johnson North 88 degrees 25 minutes 20 seconds East a distance of 537.45 feet, to an existing  
26 iron rod on line at the edge of a pond, continuing 226.50 feet, a total of 763.95 feet to a point in  
27 said pond, thence North 28 degrees 01 minutes 46 seconds West a distance of 49.19 feet,  
28 thence North 63 degrees 13 minutes 04 seconds West a distance of 87.66 feet, thence North 15  
29 degrees 21 minutes 19 seconds West a distance of 558.73 feet to an existing iron rod, thence  
30 North 01 degrees 17 minutes 20 seconds East a distance of 150.64 feet to a new iron rod set,  
31 thence North 07 degrees 56 minutes 05 seconds West a distance of 210.49 feet to a new iron  
32 rod set, thence north 12 degrees 46 minutes 53 seconds West a distance of 155.08 feet to a new  
33 iron rod set, thence North 04 degrees 16 minutes 12 seconds East a distance of 135.74 feet to an  
34 existing iron rod, thence North 04 degrees 10 minutes 30 seconds East a distance of 300.82 feet  
35 to an existing iron rod (bent) located in the south R/W of Todd Road, thence with said R/W  
36 South 87 degrees 50 minutes 36 seconds East a distance of 70.63 feet to a new iron rod set,  
37 thence South 84 degrees 19 minutes 43 seconds East a distance of 55.97 feet to a new iron rod  
38 set, thence South 81 degrees 12 minutes 50 seconds East a distance of 56.59 feet to a new iron  
39 rod set, thence south 78 degrees 11 minutes 43 seconds East a distance of 55.49 feet to a new  
40 iron rod set, thence South 75 degrees 34 minutes 28 seconds East a distance 58.13 feet to a new  
41 iron rod set, thence south 74 degrees 03 minutes 29 seconds East a distance of 59.35 feet to a  
42 new iron rod set, thence South 73 degrees 29 minutes 54 seconds East a distance of 76.51 feet  
43 to a new iron rod set, thence South 73 degrees 10 minutes 12 seconds East a distance of 102.57  
44 feet to a new iron rod set, thence South 73 degrees 13 minutes 13 seconds East a distance of  
45 82.02 feet to a new iron rod set, thence 71 degrees 32 minutes 02 seconds East a distance of  
46 118.04 feet to a new iron rod set, thence South 67 degrees 15 minutes 09 seconds East a  
47 distance of 106.89 feet to a new iron rod set, thence South 63 degrees 53 minutes 32 seconds  
48 East a distance of 120.40 feet to a new iron rod set, thence South 62 degrees 07 minutes 15  
49 seconds East a distance of 127.54 feet to a concrete monument, thence south 62 degrees 50  
50 minutes 29 seconds East a distance of 1,775.38 feet to the place and point of beginning.  
51 Excepted from this boundary is an interior parcel known as the Register Cemetery with

1 description as follows: Beginning at an existing iron rod in the west side of a 20 foot easement  
2 recorded in the Brunswick county registry at Deed Book 644, page 493 said iron rod located  
3 South 12 degrees 52 minutes 09 seconds West a distance of 552.31 feet from the R/W of Todd  
4 Road, thence along west side of said easement South 12 degrees 28 minutes 32 seconds West a  
5 distance of 211.08 feet too an existing iron rod, thence North 83 degrees 32 minutes 05 seconds  
6 West a distance of 131.97 feet to an existing iron, thence leaving said easement North 61  
7 degrees 47 minutes 06 seconds West a distance of 12.04 feet to an existing iron rod, thence  
8 North 10 degrees 27 minutes 26 seconds East a distance of 180.92 feet to an existing iron rod,  
9 thence North 87 degrees 10 minutes 30 seconds East a distance of 154.69 feet to the place and  
10 point of beginning. Together with and subject to covenants, easements and restrictions of  
11 record. Said property contains 79.48 acres, more or less. Also this property is subject to  
12 easements as recorded in the Brunswick county registry at Deed Book 1419, page 52 and Deed  
13 book 644, page 493 and a lease with easement as recorded at Deed book 1957, page 769. For a  
14 more accurate description reference is hereby made to a plat of survey for William L. Smith  
15 dated August 14, 2006.

16 **SECTION 2.** This act has no effect upon the validity of any liens of the Town of  
17 Shallotte for ad valorem taxes or special assessments outstanding before the effective date of  
18 this act. Such liens may be collected or foreclosed upon after the effective date of this act as  
19 though the property were still within the corporate limits of the Town of Shallotte.

20 **SECTION 3.** This act is effective from and after January 1, 2014.