## **GENERAL ASSEMBLY OF NORTH CAROLINA SESSION 2019**

Η

1

## **HOUSE BILL 806** Senate Judiciary Committee Substitute Adopted 6/16/20 Proposed Conference Committee Substitute H806-PCCS10872-TG-3

Short Title: Open Exercise & Fitness Facilities. (Public)

| Sponsors:    |  |
|--------------|--|
| Referred to: |  |

## April 18, 2019

TO DE ENTITI ED

| I  |                    | A BILL TO BE ENTITLED   |
|----|--------------------|---|
| 2  | AN ACT TO          | AUTHORIZE INDOOR OR OUTDOOR EXERCISE AND FITNESS                                      |
| 3  | FACILITIES         | , GYMS, HEALTH CLUBS, AND FITNESS CENTERS TO RESUME                                   |
| 4  | OPERATION          | NS.   |
| 5  | The General Ass    | embly of North Carolina enacts:   |
| 6  | SEC                | <b>FION 1.</b> Notwithstanding Executive Order No. 147, Extension of Phase 2 Order    |
| 7  | and New Measu      | res to Save Lives in the COVID-19 Pandemic, issued by Governor Roy A.                 |
| 8  | Cooper on June 2   | 24, 2020, any indoor or outdoor (i) exercise and fitness facilities, (ii) gyms, (iii) |
| 9  | health clubs, and  | l (iv) fitness centers, as referenced in Section 8 of Executive Order No. 141,        |
| 10 | Easing Restriction | ons on Travel, Business Operations, and Mass Gatherings: Phase 2, issued on           |
| 11 | May 20, 2020, m    | ay open and resume operations provided all of the following apply:                    |
| 12 | (1)                | The establishment was in existence on March 10, 2020, or had a valid                  |
| 13 |                    | certificate of occupancy and business license issued by that date.                    |
| 14 | (2)                | Total indoor capacity is limited to forty percent (40%) of the authorized fire        |
| 15 |                    | capacity. Employees are excluded from the total indoor capacity.                      |
| 16 | (3)                | All employees answer a health questionnaire and have their temperature taken          |
| 17 |                    | daily prior to working. Any employee showing symptoms or with a fever is              |
| 18 |                    | not allowed to enter the establishment.   |
| 19 | (4)                | All employees wear face masks, except when actively leading a group fitness           |
| 20 |                    | class or when outdoors and socially distanced. All members and visitors are           |
| 21 |                    | strongly encouraged to wear face masks.   |
| 22 | (5)                | Contactless check-in is available, including propping open all entry doors            |
| 23 |                    | when possible, or facilities may review possible HVAC system upgrades to              |
| 24 |                    | promote improved air filtration and at a minimum provide MERV 11 level                |
| 25 |                    | filtration. Markings are on the ground to denote proper social distancing of at       |
| 26 |                    | least 6 feet in the check-in area.  |
| 27 | (6)                | Sanitation spray bottles with disinfectant or disinfectant wipes that are             |
| 28 |                    | EPA-approved for SARS-CoV-2 (the virus that causes COVID-19) are                      |
| 29 |                    | available throughout the establishment.   |
| 30 | (7)                | Hand sanitizer stations are available throughout the establishment. All hand          |
| 31 |                    | sanitizer is comprised of at least sixty percent (60%) alcohol.                       |
| 32 | (8)                | Employees conduct frequent routine cleanings of high-touch equipment and              |
| 33 |                    | high-use areas while the establishment is open and conduct a deep clean of the        |
| 34 |                    | entire establishment after the close of business every day. For establishments        |
| 35 |                    | that are open 24 hours a day, a deep clean of the entire establishment must           |
|    |                    |   |



D

|        | General A | Assemb  | ly Of North Carolina   | Session 2019      |
|--------|-----------|---------|--|-------------------|
| 1<br>2 |           |         | occur at least once every 24 hours. Disinfectants that are El SARS-CoV-2 (the virus that causes COVID-19) are used for |                   |
| 3      |           | (9)     | For open space cardiovascular, weight training, and exe  |                   |
| 4      |           |         | following practices must be maintained:  |                   |
| 5<br>6 |           |         | a. Cardiovascular and weight training equipment is used ensure social distancing of at least 6 feet.                   | d in a manner to  |
| 7      |           |         | b. Signage directs foot traffic for social distancing.   |                   |
| 8      |           |         | <ul><li>c. Employees monitor the areas for social distancing ar</li></ul>  | d to oncura that  |
| 9      |           |         | equipment is being cleaned with disinfectant or dis  |                   |
| 0      |           |         | after each user.   |                   |
| 1<br>2 |           | (10)    | For studio and group fitness classes, the following pra-<br>maintained:  | ictices must be   |
| 3      |           |         | a. Markings are on the ground at the entrances to classes  | to denote proper  |
| 4      |           |         | social distancing of at least 6 feet apart.  | 1 1               |
| 5      |           |         | b. Participants must maintain social distancing of at lea  | ast 6 feet during |
| 6      |           |         | the classes.   | U                 |
| 7<br>8 |           |         | c. Stations or equipment used during classes is arrange manner to ensure social distancing of at least 6 feet.         | ed and used in a  |
| 9      |           |         | d. All doors to studio and group fitness classes must ren  | main open when    |
| 0      |           |         | possible, or facilities may review possible HVAC sys   | -                 |
| 1      |           |         | promote improved air filtration and at a minimum pro-  |                   |
| 2      |           |         | level filtration.  |                   |
| 3      |           |         | e. All rooms and any equipment used must be tho  | oughly cleaned    |
| 4      |           |         | between classes.   |                   |
| 5      |           | (11)    | On-premises child care is limited to fifty percent (50%) of its  | current allowed   |
| 6      |           |         | occupancy.   |                   |
| 7      |           | (12)    | Social distancing of at least 6 feet is employed on all open co  | ourts and fields. |
| 8      |           | (13)    | All personal hygiene areas and amenity services are closed, e  |                   |
| 9      |           |         | lavatories, and lockers where social distancing must be main   | tained.           |
| 0      |           | (14)    | Water fountains are limited to filling water bottles only.   |                   |
| 1      |           | (15)    | Signage is posted to remind employees, members, and visit  | ors of the social |
| 2      |           |         | distancing and sanitation requirements in place.   |                   |
| 3      |           | SECT    | <b>TON 2.</b> This act is effective when it becomes law and expires  | when Executive    |
| 4      | Order No. | 147, is | sued on June 24, 2020, is repealed, replaced, or rescinded.  |                   |

House Bill 806