

From: [Higgins, Karen](#)
To: [Wrenn, Brian L](#); [Burdette, Jennifer a](#)
Subject: RE: ACP HO report
Date: Friday, January 5, 2018 11:37:00 AM

Brian-

Just a few minor suggestions highlighted in yellow. I don't think Jennifer will review this today so please go ahead and send to Jeff and others.

Since the department is reviewing the documents before going to Linda, I'm not sure that it will be ready for her by Monday. Should we try to reschedule for later in the week? We could try for after the EMC on Thursday (maybe 3:30) or Friday (maybe 8:45 or 2:00).

Thanks-
Karen

Karen Higgins
401 & Buffer Permitting Branch Supervisor
Division of Water Resources
Department of Environmental Quality

(919) 807-6360 office
karen.higgins@ncdenr.gov
<https://deq.nc.gov/about/divisions/water-resources/water-resources-permits/wastewater-branch/401-wetlands-buffer-permits>

512 N. Salisbury Street (Archdale Building), Suite 942-E, Raleigh, NC 27604
1617 Mail Service Center, Raleigh, NC 27699-1617

Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

From: Wrenn, Brian L
Sent: Friday, January 05, 2018 9:18 AM
To: Higgins, Karen <karen.higgins@ncdenr.gov>; Burdette, Jennifer a <Jennifer.Burdette@ncdenr.gov>
Subject: FW: ACP HO report

Not sure if either of you got in this am, but I'm at home with one sick child and another out of school due to snow. The Secretary's office wants to review the HO report prior to sending to Linda. I told Bridget we would send a copy to them when we send to Jeff. I doing another read through right now. When do you think you can finish your review? Thanks!

Brian Wrenn
919-743-8409 (office)

919-491-2616 (cell)

From: Munger, Bridget
Sent: Friday, January 05, 2018 8:56 AM
To: Wrenn, Brian L <brian.wrenn@ncdenr.gov>
Subject: RE: ACP HO report

That sounds great.
Thanks!

From: Wrenn, Brian L
Sent: Friday, January 5, 2018 8:44 AM
To: Munger, Bridget <bridget.munger@ncdenr.gov>
Subject: Re: ACP HO report

I think the HO report is their focus this am. If it's ok, we can send the draft to you when we send it to Jeff to review. Thanks.

Sent from my iPhone

On Jan 5, 2018, at 8:09 AM, Munger, Bridget <bridget.munger@ncdenr.gov> wrote:

Hi Brian,
If Karen and Jennifer will be looking at the report today, I can wait for that draft. Please let me know what you prefer.
Thank you!
Bridget
(Working at home this morning: 919-268-0069)

From: Wrenn, Brian L
Sent: Thursday, January 4, 2018 7:25 PM
To: Munger, Bridget <bridget.munger@ncdenr.gov>
Subject: ACP HO report

Please make it known that this has not gone through final revisions. Some of the cumulative impact language is new and neither Karen nor Jennifer have reviewed it at all. Thanks.

Brian L. Wrenn
Ecosystems Branch Chief
Water Sciences Section
NC Division of Water Resources
919-743-8409 (office)
919-491-2616 (cell)

Physical Address:

4401 Reedy Creek Road
Raleigh, NC 27607

Mailing Address:

1621 Mail Service Center
Raleigh, NC 27699-1623

From: [Wrenn, Brian L](#)
To: [Higgins, Karen](#); [Burdette, Jennifer a](#)
Subject: FW: ACP hearing officer"s report
Date: Friday, January 5, 2018 12:19:39 PM
Attachments: [ACP hearing officers rept 01052018.docx](#)

FYI

Brian Wrenn
919-743-8409 (office)
919-491-2616 (cell)

From: Wrenn, Brian L
Sent: Friday, January 05, 2018 12:19 PM
To: Poupart, Jeff <jeff.poupart@ncdenr.gov>
Cc: Munger, Bridget <bridget.munger@ncdenr.gov>
Subject: ACP hearing officer's report

Jeff,
Please find attached the draft hearing officer's report for the ACP project. If you have any questions, please do not hesitate to contact me. I'm at home with kids, so try my cell (919-491-2616). Thanks.

Brian L. Wrenn
Ecosystems Branch Chief
Water Sciences Section
NC Division of Water Resources
919-743-8409 (office)
919-491-2616 (cell)

Physical Address:
4401 Reedy Creek Road
Raleigh, NC 27607

Mailing Address:
1621 Mail Service Center
Raleigh, NC 27699-1623