

Strickland, Bev

From: Spencer Trichell <Spencer.Trichell@dominionenergy.com>
Sent: Thursday, January 18, 2018 7:11 PM
To: Higgins, Karen
Cc: Richard B Gangle
Subject: [External] ACP impact tables

CAUTION: External email. Do not click links or open attachments unless verified. Send all suspicious email as an attachment to report.spam@nc.gov.

Karen, the revised tables we discussed are below:

IMPACTS:

Type of Impact	Amount (units) Permanent Loss	Amount (units) Temporary Impacts
404 Wetlands	0.80 (acres)	453.45 (acres)
Perennial Stream	160 (linear feet)	15,081 (linear feet)
Non-perennial Stream	606 (linear feet)	21,007 (linear feet)
Open Waters ^A	0.00 (acres)	0.44 (acres)
Tar-Pamlico Buffer Sub-basin 03020102		
Buffer Zone 1	126,081 (square feet)	0 (square feet)
Buffer Zone 2	83,478 (square feet)	0 (square feet)
Tar-Pamlico Buffer Sub-basin 03020101		
Buffer Zone 1	231,704 (square feet)	0 (square feet)
Buffer Zone 2	152,811 (square feet)	0 (square feet)
Neuse Buffer Sub-basin 03020203		
Buffer Zone 1	145,039 (square feet)	0 (square feet)
Buffer Zone 2	101,403 (square feet)	0 (square feet)
Neuse Buffer Sub-basin 03020201		
Buffer Zone 1	152,785 (square feet)	0 (square feet)
Buffer Zone 2	122,204 (square feet)	0 (square feet)

Regards,

Spencer Trichell
Environmental Consultant - Atlantic Coast Pipeline

Dominion Energy Services, Inc.
5000 Dominion Blvd
Glen Allen, VA 23060

O:(804)-273-3472 M:(804)-263-5980
spencer.trichell@dominionenergy.com



CONFIDENTIALITY NOTICE: This electronic message contains information which may be legally confidential and or privileged and does not in any case represent a firm ENERGY COMMODITY bid or offer relating thereto which binds the sender without an additional express written confirmation to that effect. The information is intended solely for the individual or entity named above and access by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution, or use of the contents of this information is prohibited and may be unlawful. If you have received this electronic transmission in error, please reply immediately to the sender that you have received the message in error, and delete it. Thank you.