
Substance Abuse Service Definitions

Presented by: North Carolina
DMH/DD/SAS
Community Policy Management Staff

February 2006

North Carolina

Substance Abuse Treatment Components and Comprehensive Services



New Opportunity

- Opportunity to do SA business differently
 - New service delivery system includes more credentialed/ skilled workforce in partnership with those in recovery
 - Generate additional Medicaid funding stream by realigning State definitions with new federal definitions
 - Creation of SA specific continuum of care

Adult SA Service Continuum of Care

- Diagnostic Assessment
- Mobile Crisis Management
- Community Support Adults
- Community Support Team

Adult SA Service Continuum of Care

- Detox (4 Levels)
 - Ambulatory
 - Social Setting
 - Non-Hospital Medical
 - ADATC Level Medically Supervised
- SA Intensive Outpatient Program (SAIOP)
- SA Comprehensive Outpatient Treatment (SACOT)

Adult SA Service Continuum of Care

- Opioid Treatment
- Residential Supports (4 Levels)
 - SA Halfway House
 - Non-Medical Community Residential
 - Medically Monitored Community Residential
 - Inpatient SA Treatment

Meet the Recipients



Diagnostic Assessment

Definition

- Intensive, clinical and functional face to face evaluation.
- Determines is in target population.
- Recommendations for Services.
- Basis of initial Person Centered Plan over next 30 days.
- Must use the designated diagnostic tool for SA.

Diagnostic Assessment

- Provider Requirements
- Staffing Requirements
 - Team must have minimum of two QP's.
 - One must me an MD, NP, PA, or PhD psychologist.
 - For SA assessments, the team must include a CCS or CCAS.
- Service Type/Setting
 - Any location.

Community Support - Adults



Community Support - Adults

- Definition
 - Services and supports
 - Achieve and maintain goals
 - Meet needs of recipient
 - Acquire skills and skill building
 - First responder

Community Support Team



Community Support Team

Required Components

- Services documented on PCP and will include assistance & support in crisis situations, service coordination, psycho-education, development of community coping and independent living skills, symptom monitoring, medication monitoring and self-medication.
- Monitoring of recipients status in relation to goals.
- Consultation with other professionals, family and others.

Community Support Team

- Provider Requirements
 - Providers first responder / Crisis response 24/7/365 - action is taken by Community Support Team (primary provider) for persons served to both prevent escalation and intervention in the crisis situation, following crisis plan.



Required Components

- Services shall include a structured program consisting of, but not limited to the following:
 - Individual counseling and support
 - Group counseling (has to be provided each day services are offered) and support
 - Family counseling, training or support
 - Regular drug screening.

Required Components (cont.)

- Strategies for relapse prevention to include community and social support systems in treatment
- Life skills
- Crisis contingency planning
- Disease Management
- 3 hours per day 3 days per week
- Maximum of 19 hours per week

Required Components (cont.)

 Treatment support activities that have been adapted or specifically designed for persons with physical disabilities, or persons with cooccurring disorders of mental illness and substance abuse/dependence or mental retardation/developmental disability and substance abuse/dependence.

Required Components (cont.)

- Case Management to arrange, link or integrate multiple services as well as assessment and reassessment of the recipient's need for services.
- Inform the recipient about benefits, community resources, and services.
- Assist the recipient in accessing benefits and services.

- Staffing Requirements
 - Program must be under the clinical supervision of a CCS or a CCAS on site a minimum of 50% of the hours the service is in operation.
 - The maximum face-to-face staff-to-client ratio is not more than 12 adult consumers to 1 QP based on an average daily attendance. The ratio for adolescents will be 1:6.

SACOT

Definition

- SA Comprehensive Outpatient Treatment (SACOT)
 - Operate) 20 hours a week, 4 hours a day, 5 days per week with no more than two consecutive days without services.
 - A Service Order must be completed by a MD, Ph.D. psychologist, PA or NP prior to or on the day that the services are to be provided.

SACOT

Required Components

- Services are included in the SACOT Program:
 - Individual counseling and support
 - Group counseling (Group counseling services must be offered each day the program operates) and support
 - Family counseling, training or support
 - Regular (random) drug screening.

SACOT

Required Components (cont.)

- Strategies for relapse prevention to include community and social support systems in treatment.
- Life skills.
- Crisis contingency planning.
- Disease Management.
- Assist the recipient in accessing benefits and services.

New Medicaid Service Definitions for Child Substance Abuse

- Diagnostic Assessment.
- Community Support.
- Intensive Outpatient
 Treatment
- Intensive In-Home.

New Medicaid Service Definitions

- Child and Adolescent Day Treatment.
- Multisystemic Therapy (MST).
- Mobile Crisis Management.
- Medically Monitored Community Residential
- Inpatient Hospitalization.

North Carolina **SA Continuum of Care Model Effective 3/20/2006**

PROPOSED NC Modified ASAM Levels of Care

DETOX Levels

- Level I-D
 - Ambulatory Detoxification
- Level II-D
 - Social Setting Detoxification
- Level III.7-D
 - Non-Hospital Medical Detoxification
- Level IV-D
 - Medically Supervised or ADATC Detoxification/Crisis Stabilization

TREATMENT Levels

- Level I
 - Diagnostic Assessment
 - SA Community Support Services-Adult & Team
 - Mobile Crisis Management

TREATMENT Levels cont.

- Level II.1
 - SA IOP
- Level II.5
 - SACOT
- Level III.1
 - SA HWH
- Level III.5
 - SA Non-Medical Community Residential Treatment
- Level III.7
 - SA Medically Monitored Community Residential Treatment
- Level IV
 - Inpatient Hospital SA Treatment

North Carolina SA Adolescent Continuum of Care Effective 3/20/2006

PROPOSED NC Modified ASAM Levels of Care for Adolescents

TREATMENT Levels


- Level I
 - Diagnostic Assessment
 - SA Community Support Services-Adolescent
 - Mobile Crisis Management
 - Intensive In-home Services
 - Multi-Systemic Therapy (MST)
- Level II.1
 - Child & Adolescent Day Treatment
 - SAIOP

Treatment Levels cont.

- Level III.5
 - SA Non-Medical Community Residential Treatment
- Level IV
 - Inpatient Hospital SA Treatment

Federal SAPTBG Requirements & NC SA Target Populations

- Impact of SAPTBG requirements
- NC SA Target Populations
 - Injecting drug users/Communicable Disease/Opioid Treatment
 - SA Pregnant women, women with children/DSS parents with SA issues
 - Children and Adolescents with primary SA disorders
 - High Management Adults including Co-Occurring and Homeless populations
 - SA Adults in the criminal justice system



PROFESSIONALS PER LME AREA



Legend LCAS=843 CCS = 258 CSAC = 646 Information compiled by Behavioral Healthcare Resource Program September 30, 2005