

Licensed Adult Care Facility Assessment Results, Current as of December 3, 2012

I. POPULATION SUMMARY

A. Percentages of PCS Qualified and PCS Non-Qualified Beneficiaries by Facility Type

SETTING	Assessments Processed	PCS Qualifying		PCS Non-Qualifying	
		Count	Percent	Count	Percent
ACH Bed in NF	770	472	61%	298	39%
Adult Care Home	10,204	5640	55%	4564	45%
Family Care Home	1373	593	43%	780	57%
SLF 5600a	526	77	15%	449	85%
SLF 5600c	1255	464	37%	791	63%
Special Care Unit	2648	2216	84%	432	16%
Grand Total	16,776	9462	56%	7314	44%

All 12/03/2012 estimates of qualifying and non-qualifying percentages are within +/- 6 % of 10/26/2012 estimates. Approximately 20,000 assessments were completed as of 11/30/2012. Table results reflect all uploaded and processed assessments as of 12/03/2012. Additional completed assessments have not yet been uploaded and/or are missing medical attestation forms required to upload and process assessments. To date, medical attestation forms have not yet been submitted for approximately 10 percent of beneficiaries with completed assessments.

B. Total Projected Numbers of PCS Qualified and PCS Non-Qualified Beneficiaries

Total Assessments Processed	PCS Qualified			PCS Non-Qualified		
	Number	Percent	Total Number Projected	Number	Percent	Total Number Projected
16,776	9462	56%	11,324*	7314	44%	8897**

*Assumes total ACH-PCS census of 20,221 at transition, with 56 % qualification rate.

**Number of transition denials may be higher due to lack of physician medical attestation; currently, medical attestations have not been submitted for approximately 2,000 (10 %) additional assessed beneficiaries.

C. Age Range of PCS Qualified vs. PCS Non-Qualified Beneficiaries

	PCS Qualified	PCS Non-Qualified
Mean Age	73 yrs	60 yrs
Standard Deviation*	16 yrs	18 yrs
Minimum Age	19 yrs	18 yrs
Maximum Age	108 yrs	103 yrs

*The Standard Deviation (SD) indicates the average difference between individual beneficiary age and the mean age.

D. Age Distribution of Non-Qualified Beneficiaries

Range	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95+	55+
IAs Processed	207	497	666	1382	1710	1191	943	648	70	4562
Percent of Total	3 %	7 %	9 %	19 %	23 %	16 %	13 %	9 %	1 %	65 %
Total Projected*	252	605	810	1681	2080	1449	1147	788	85	5549

*Assumes total census of 20,221 at transition, with 44 % non-qualification rate (8897 beneficiaries).

E. Diagnosis Summary of PCS Qualified and PCS Non-Qualified Beneficiaries*

	PCS Qualified	PCS Non-Qualified
Chronic Medical	87 %	76 %
Physical Disability	45 %	25 %
MI/SA	35 %	55 %
MR/DD	16 %	22 %
Dementia	45 %	18 %

*Percentages reflect categories selected by attesting practitioners to describe up to ten diagnoses provided and are not mutually exclusive.

F. Activity of Daily Living (ADL) Needs of PCS Qualified and PCS Non-Qualified Beneficiaries*

	PCS Qualified	PCS Non-Qualified
Average Number Requiring Hands-On Assistance	4.1 ADLs	1.3 ADLs

*The five qualifying ADLs are Bathing, Dressing, Mobility, Toileting, and Eating.

G. Numbers of Hands-On ADL Needs

	PCS Qualified				PCS Non-Qualified		
ADLs	5	4	3	2 (Ext)	2 (Lim)	1	0
IAs Processed	3811	2922	2314	415	2257	4776	281
% of Total	23 %	17 %	14 %	2 %	13 %	28 %	2 %

H. Personal Care Needs of PCS Non-Qualified Beneficiaries*

	Independent	Supervision/Cueing	Hands-On Assistance
Bathing	39%	34 %	27 %
Dressing	69%	28 %	3 %
Mobility	83%	16 %	1 %
Toileting	80%	18 %	2 %
Eating**	3%	3 %	94 %
Medications	1%	31 %	68 % (administration)

* Includes the five qualifying ADLs plus medication assistance needs.

** Meal preparation is primary hands-on Eating ADL assistance need among non-qualifying beneficiaries.

II. DETAILED ASSESSMENT RESULTS AND BENEFICIARY PROFILES

A. Combination Homes (ACH Bed in NF)	p. 3
B. Adult Care Homes	p. 4
C. Family Care Homes	p. 5
D. 5600a Supervised Living Homes (MI/SA)	p. 6
E. 5600c Supervised Living Homes (MR/IDD)	p. 7
F. Special Care Units	p. 8

A. Combination Homes

1. Assessment Summary

Total Assessments Processed	PCS Qualified		PCS Non-Qualified	
	Number	Percent	Number	Percent
770	472	61%	298	39%

2. Beneficiary Age

	PCS Qualified	PCS Non-Qualified
Mean Age	79 yrs	72 yrs
Standard Deviation*	13 yrs	15 yrs
Minimum Age	34 yrs	24 yrs
Maximum Age	106 yrs	103 yrs

*The Standard Deviation (SD) indicates the average difference between individual beneficiary age and the mean age.

3. Age Distribution of Non-Qualified Beneficiaries

Range	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95+	55+
Percent	1 %	1 %	2 %	11 %	19 %	18 %	24 %	21 %	2 %	86 %

4. Diagnosis Summary*

	PCS Qualified	PCS Non-Qualified
Chronic Medical	93 %	91 %
Physical Disability	50 %	30 %
MI/SA	26 %	37 %
MR/DD	7 %	12 %
Dementia	49 %	24 %
Predominant Primary Diagnoses	CAD, CHF, COPD, Diabetes, Renal, HTN, Alzheimer'/Dementia, Mood Disorders, Schizophrenia	Comparable to qualifying group, with lower incidence of physical disability and dementia

*Percentages reflect categories selected by attesting practitioners to describe up to ten diagnoses provided and are not mutually exclusive. Predominant Primary Diagnoses are based on qualitative review (visual inspection) of diagnosis documented in Primary Diagnosis field of medical attestation forms.

5. Activity of Daily Living (ADL) Needs*

	PCS Qualified	PCS Non-Qualified
Average Number Requiring Hands-On Assistance	4.1 ADLs	1.4 ADLs

*The five qualifying ADLs are Bathing, Dressing, Mobility, Toileting, and Eating.

6. Numbers of Hands-On ADL Needs

	PCS Qualified				PCS Non-Qualified		
ADLs	5	4	3	2 (Ext)	2 (Lim)	1	0
Beneficiaries	27 %	14 %	18 %	2 %	18 %	19 %	2 %

7. Personal Care Needs of Non-Qualified Beneficiaries

	Independent	Supervision/Cueing	Hands-On Assistance
Bathing	24 %	31 %	45 %
Dressing	67 %	31 %	2 %
Mobility	73 %	26 %	1 %
Toileting	79 %	19 %	2 %
Eating*	5 %	3 %	92 %
Medications	2 %	26 %	73 % (administration)

* Meal preparation is primary hands-on Eating ADL assistance need among non-qualifying beneficiaries.

B. Adult Care Homes

1. Assessment Summary

Total Assessments Processed	PCS Qualified		PCS Non-Qualified	
	Number	Percent	Number	Percent
10,204	5640	55 %	4564	45 %

2. Beneficiary Age

	PCS Qualified	PCS Non-Qualified
Mean Age	73 yrs	64 yrs
Standard Deviation*	15 yrs	16 yrs
Minimum Age	20 yrs	18 yrs
Maximum Age	108 yrs	102 yrs

*The Standard Deviation (SD) indicates the average difference between individual beneficiary age and the mean age.

3. Age Distribution of Non-Qualified Beneficiaries

Range	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95+	55+
Percent	1 %	3 %	6 %	18 %	26 %	19 %	15 %	10 %	1 %	72 %

4. Diagnosis Summary*

	PCS Qualified	PCS Non-Qualified
Chronic Medical	90 %	84 %
Physical Disability	51 %	29 %
MI/SA	36 %	55 %
MR/DD	14 %	12 %
Dementia	323 %	16 %
Predominant Primary Diagnoses	CHF, Renal, COPD, TBI, CAD, Arthritis, CVA, Blindness, CP, HTN, Mood, Schizophrenia, Alz/Dem,	Comparable to qualifying group, with lower incidence of physical disability and dementia, higher incidence of MI

*Percentages reflect categories selected by attesting practitioners to describe up to ten diagnoses provided and are not mutually exclusive. Predominant Primary Diagnoses are based on qualitative review (visual inspection) of diagnosis documented in Primary Diagnosis field of medical attestation forms.

5. Activity of Daily Living (ADL) Needs*

	PCS Qualified	PCS Non-Qualified
Average Number Requiring Hands-On Assistance	4.0 ADLs	1.3 ADLs

*The five qualifying ADLs are Bathing, Dressing, Mobility, Toileting, and Eating.

6. Numbers of Hands-On ADL Needs

	PCS Qualified				PCS Non-Qualified		
ADLs	5	4	3	2 (Ext)	2 (Lim)	1	0
Beneficiaries	221 %	16 %	14 %	3 %	14 %	29 %	1 %

7. Personal Care Needs of Non-Qualified Beneficiaries

	Independent	Supervision/Cueing	Hands-On Assistance
Bathing	44 %	28 %	28 %
Dressing	76 %	21 %	3 %
Mobility	84 %	15 %	1 %
Toileting	84 %	14 %	2 %
Eating	2 %	2 %	95 %
Medications	1 %	32 %	67 % (administration)

* Meal preparation is primary hands-on Eating ADL assistance need among non-qualifying beneficiaries.

C. Family Care Homes

1. Assessment Summary

	PCS Qualified		PCS Non-Qualified	
Total Assessments Processed	Number	Percent	Number	Percent
1373	593	43 %	780	57 %

2. Beneficiary Age

	PCS Qualified	PCS Non-Qualified
Mean Age	63 yrs	51 yrs
Standard Deviation*	16 yrs	14 yrs
Minimum Age	20 yrs	19 yrs
Maximum Age	98 yrs	93 yrs

*The Standard Deviation (SD) indicates the average difference between individual beneficiary age and the mean age.

3. Age Distribution of Non-Qualified Beneficiaries

Range	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95+	55+
Percent	5 %	10 %	15 %	29 %	25 %	10 %	5 %	1 %	0 %	41 %

4. Diagnosis Summary*

	PCS Qualified	PCS Non-Qualified
Chronic Medical	77 %	63 %
Physical Disability	39 %	19 %
MI/SA	55 %	70 %
MR/DD	29 %	27 %
Dementia	21 %	8 %
Predominant Primary Diagnoses	CHF, Renal, COPD, TBI, CAD, Arthritis, CVA, Blindness, CP, HTN, Mood, Schizophrenia, Alz/Dem,	Comparable to qualifying group; lower incidence of chronic medical, physical disability, dementia; higher incidence of MI

*Percentages reflect categories selected by attesting practitioners to describe up to ten diagnoses provided and are not mutually exclusive. Predominant Primary Diagnoses are based on qualitative review (visual inspection) of diagnosis documented in Primary Diagnosis field of medical attestation forms.

5. Activity of Daily Living (ADL) Needs*

	PCS Qualified	PCS Non-Qualified
Average Number Requiring Hands-On Assistance	3.9 ADLs	1.2 ADLs

*The five qualifying ADLs are Bathing, Dressing, Mobility, Toileting, and Eating.

6. Numbers of Hands-On ADL Needs

	PCS Qualified				PCS Non-Qualified		
ADLs	5	4	3	2 (Ext)	2 (Lim)	1	0
Beneficiaries	14 %	15 %	11 %	3 %	12 %	41 %	3 %

7. Personal Care Needs of Non-Qualified Beneficiaries

	Independent	Supervision/Cueing	Hands-On Assistance
Bathing	41 %	40 %	19 %
Dressing	62 %	36 %	2 %
Mobility	83 %	17 %	< 1 %
Toileting	76 %	21 %	3 %
Eating	3 %	3 %	93 %
Medications	2 %	29 %	69 %

* Meal preparation is primary hands-on Eating ADL assistance need among non-qualifying beneficiaries.

D. 5600a Supervised Living Homes (MI/SA)

1. Assessment Summary

Total Assessments Processed	PCS Qualified		PCS Non-Qualified	
	Number	Percent	Number	Percent
526	77	15 %	449	85 %

2. Beneficiary Age

	PCS Qualified	PCS Non-Qualified
Mean Age	48 yrs	43 yrs
Standard Deviation*	15 yrs	14 yrs
Minimum Age	22 yrs	18 yrs
Maximum Age	88 yrs	74 yrs

*The Standard Deviation (SD) indicates the average difference between individual beneficiary age and the mean age.

3. Age Distribution of Non-Qualified Beneficiaries

Range	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95+	55+
Percent	12%	22%	18%	22%	22%	4%	0%	0%	0%	26%

4. Diagnosis Summary*

	PCS Qualified	PCS Non-Qualified
Chronic Medical	60 %	45 %
Physical Disability	23 %	7 %
MI/SA	81 %	92 %
MR/DD	31 %	26 %
Dementia	5 %	2 %
Predominant Primary Diagnoses	Schizophrenia, Mood Disorders	Schizophrenia, Mood Disorders, Autism, Attention Deficit, MR

*Percentages reflect categories selected by attesting practitioners to describe up to ten diagnoses provided and are not mutually exclusive. Predominant Primary Diagnoses are based on qualitative review (visual inspection) of diagnosis documented in Primary Diagnosis field of medical attestation forms.

5. Activity of Daily Living (ADL) Needs*

	PCS Qualified	PCS Non-Qualified
Average Number Requiring Hands-On Assistance	3.5 ADLs	1.0 ADLs

*The five qualifying ADLs are Bathing, Dressing, Mobility, Toileting, and Eating.

6. Numbers of Hands-On ADL Needs

	PCS Qualified				PCS Non-Qualified		
ADLs	5	4	3	2 (Ext)	2 (Lim)	1	0
Beneficiaries	2 %	5 %	6 %	1 %	11 %	64 %	11 %

7. Personal Care Needs of Non-Qualified Beneficiaries

	Independent	Supervision/Cueing	Hands-On Assistance
Bathing	42 %	49 %	9 %
Dressing	60 %	38 %	2 %
Mobility	84 %	15 %	1 %
Toileting	77 %	22 %	1 %
Eating	6 %	8 %	87 %
Medications	1 %	32 %	67 % (administration)

* Meal preparation is primary hands-on Eating ADL assistance need among non-qualifying beneficiaries.

E. 5600c Supervised Living Homes (MR/IDD)

1. Assessment Summary

Total Assessments Processed	PCS Qualified		PCS Non-Qualified	
	Number	Percent	Number	Percent
1255	464	37 %	791	63 %

2. Beneficiary Age

	PCS Qualified	PCS Non-Qualified
Mean Age	48 yrs	44 yrs
Standard Deviation*	13 yrs	14 yrs
Minimum Age	19 yrs	19 yrs
Maximum Age	95 yrs	79 yrs

*The Standard Deviation (SD) indicates the average difference between individual beneficiary age and the mean age.

3. Age Distribution of Non-Qualified Beneficiaries

Range	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95+	55+
Percent	9 %	20 %	21 %	27 %	16 %	6 %	1 %	0 %	0 %	23 %

4. Diagnosis Summary*

	PCS Qualified	PCS Non-Qualified
Chronic Medical	58 %	49 %
Physical Disability	30 %	13 %
MI/SA	44 %	43 %
MR/DD	91 %	86 %
Dementia	8 %	3 %
Predominant Primary Diagnoses	MR (mild to profound), CP, Down's, TBI	MR (mild to moderate), Autism, Seizure Disorder, CP, Down's

*Percentages reflect categories selected by attesting practitioners to describe up to ten diagnoses provided and are not mutually exclusive. Predominant Primary Diagnoses are based on qualitative review (visual inspection) of diagnosis documented in Primary Diagnosis field of medical attestation forms.

5. Activity of Daily Living (ADL) Needs*

	PCS Qualified	PCS Non-Qualified
Average Number Requiring Hands-On Assistance	3.6 ADLs	1.3 ADLs

*The five qualifying ADLs are Bathing, Dressing, Mobility, Toileting, and Eating.

6. Numbers of Hands-On ADL Needs

	PCS Qualified				PCS Non-Qualified		
ADLs	5	4	3	2 (Ext)	2 (Lim)	1	0
Beneficiaries	6 %	15 %	14 %	3 %	20 %	41 %	2 %

7. Personal Care Needs of Non-Qualified Beneficiaries

	Independent	Supervision/Cueing	Hands-On Assistance
Bathing	25 %	50 %	26 %
Dressing	57 %	41 %	2 %
Mobility	89 %	11 %	< 1 %
Toileting	71 %	26 %	4 %
Eating	2 %	2 %	96 %
Medications	1 %	36 %	63 % (administration)

* Meal preparation is primary hands-on Eating ADL assistance need among non-qualifying beneficiaries.

F. Special Care Units

1. Assessment Summary

Total Assessments Processed	PCS Qualified		PCS Non-Qualified	
	Number	Percent	Number	Percent
2648	2216	84 %	432	16 %

2. Beneficiary Age

	PCS Qualified	PCS Non-Qualified
Mean Age	81 yrs	77 yrs
Standard Deviation*	10 yrs	11 yrs
Minimum Age	30 yrs	39 yrs
Maximum Age	104 yrs	102 yrs

*The Standard Deviation (SD) indicates the average difference between individual beneficiary age and the mean age.

3. Age Distribution of Non-Qualified Beneficiaries

Range	18-24	25-34	35-44	45-54	55-64	65-74	75-84	85-94	95+	55+
Percent	0 %	0 %	1 %	2 %	12 %	23 %	33 %	26 %	3 %	97 %

4. Diagnosis Summary*

	PCS Qualified	PCS Non-Qualified
Chronic Medical	87 %	84 %
Physical Disability	34 %	18 %
MI/SA	23 %	27 %
MR/DD	2 %	4 %
Dementia	94 %	92 %
Predominant Primary Diagnoses	Alzheimer's, Dementia, Parkinson's, Vascular	Alzheimer's, Dementia, Multi-Infarct, Vascular

*Percentages reflect categories selected by attesting practitioners to describe up to ten diagnoses provided and are not mutually exclusive. Predominant Primary Diagnoses are based on qualitative review (visual inspection) of diagnosis documented in Primary Diagnosis field of medical attestation forms.

5. Activity of Daily Living (ADL) Needs*

	PCS Qualified	PCS Non-Qualified
Average Number Requiring Hands-On Assistance	4.3 ADLs	1.5 ADLs

*The five qualifying ADLs are Bathing, Dressing, Mobility, Toileting, and Eating.

6. Numbers of Hands-On ADL Needs

	PCS Qualified				PCS Non-Qualified		
ADLs	5	4	3	2 (Ext)	2 (Lim)	1	0
Beneficiaries	41 %	28 %	13 %	2 %	8 %	8 %	0 %

7. Personal Care Needs of Non-Qualified Beneficiaries

	Independent	Supervision/Cueing	Hands-On Assistance
Bathing	16 %	42 %	42 %
Dressing	45 %	52 %	3 %
Mobility	70 %	30 %	1 %
Toileting	64 %	33 %	4 %
Eating	1 %	3 %	96 %
Medications	0 %	20 %	80 % (administration)

* Meal preparation is primary hands-on Eating ADL assistance need among non-qualifying beneficiaries.