



STATE OF NORTH CAROLINA
DEPARTMENT OF HEALTH AND HUMAN SERVICES

ROY COOPER
GOVERNOR

KODY H. KINSLEY
SECRETARY

July 1, 2022

SENT VIA ELECTRONIC MAIL

The Honorable Donny Lambeth, Chair
Joint Legislative Oversight Committee on
Health and Human Services
North Carolina General Assembly
Room 620, Legislative Office Building
Raleigh, NC 27603

The Honorable Jim Burgin, Chair
Joint Legislative Oversight Committee on
Health and Human Services
North Carolina General Assembly
Room 308, Legislative Office Building
Raleigh, NC 27603


The Honorable Larry Potts, Chair
Joint Legislative Oversight Committee on
Health and Human Services
North Carolina General Assembly
Room 307B1, Legislative Office Building
Raleigh, NC 27603

Dear Chairmen:

Session Law 2015-286, Section 4.15.(c) requires the Commission for Public Health to report quarterly to the Environmental Review Commission and the Joint Legislative Oversight Committee on Health and Human Services on its progress on adopting or amending rules for approvals of on-site wastewater systems. Pursuant to the provisions of law, the Department is pleased to submit the attached report.

Should you have any questions regarding this report, please contact John Furnari, Program/Policy Analyst, at John.Furnari@dhhs.nc.gov.

Sincerely,

DocuSigned by:

D7816E4CBA6F4A8...
Kody H. Kinsley
Secretary

cc: Mark Collins Joyce Jones Katherine Restrepo Lisa Wilks Amy Jo Johnson
Jessica Meed Theresa Matula Luke MacDonald Nathan Babcock reports@ncleg.gov

WWW.NCDHHS.GOV
TEL 919-855-4800 • FAX 919-715-4645
LOCATION: 101 BLAIR DRIVE • ADAMS BUILDING • RALEIGH, NC 27603
MAILING ADDRESS: 2001 MAIL SERVICE CENTER • RALEIGH, NC 27699-2000
AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER



STATE OF NORTH CAROLINA
DEPARTMENT OF HEALTH AND HUMAN SERVICES

ROY COOPER
GOVERNOR

KODY H. KINSLEY
SECRETARY

July 1, 2022

SENT VIA ELECTRONIC MAIL

The Honorable Jimmy Dixon, Chair
Environmental Review Commission
North Carolina General Assembly
Room 2226, Legislative Building
Raleigh, NC 27601

The Honorable Norman Sanderson, Chair
Environmental Review Commission
North Carolina General Assembly
Room 309, Legislative Office Building
Raleigh, NC 27603

The Honorable Pat McElraft, Chair
Environmental Review Commission
North Carolina General Assembly
Room 634, Legislative Office Building
Raleigh, NC 27603

The Honorable Edward Goodwin, Chair
Environmental Review Commission
North Carolina General Assembly
Room 2217, Legislative Building
Raleigh, NC 27601


The Honorable Larry Yarborough, Chair
Environmental Review Commission
North Carolina General Assembly
Room 1229, Legislative Building
Raleigh, NC 27601

Dear Chairmen:

Session Law 2015-286, Section 4.15.(c) requires the Commission for Public Health to report quarterly to the Environmental Review Commission and the Joint Legislative Oversight Committee on Health and Human Services on its progress on adopting or amending rules for approvals of on-site wastewater systems. Pursuant to the provisions of law, the Department is pleased to submit the attached report.

Should you have any questions regarding this report, please contact John Furnari, Program/Policy Analyst, at John.Furnari@dhhs.nc.gov.

Sincerely,

DocuSigned by:

D7816E4CBA6F4A8...
Kody H. Kinsley
Secretary

cc: Mark Collins Joyce Jones Katherine Restrepo Lisa Wilks Amy Jo Johnson
Jessica Meed Theresa Matula Luke MacDonald Nathan Babcock reports@ncleg.gov

WWW.NCDHHS.GOV

TEL 919-855-4800 • FAX 919-715-4645

LOCATION: 101 BLAIR DRIVE • ADAMS BUILDING • RALEIGH, NC 27603

MAILING ADDRESS: 2001 MAIL SERVICE CENTER • RALEIGH, NC 27699-2000

AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER

**Progress Report on Adoption or Amendment
of On-Site Wastewater Rules**

**Session Law 2015-286
Section 4.15. (c)**



Report to

The Environmental Review Commission

and

**The Joint Legislative Oversight Committee on Health and
Human Services**

by

**NC Department of Health and Human Services
On Behalf of the Commission for Public Health**

July 1, 2022

BACKGROUND

Beginning January 1, 2016 and every quarter thereafter, Session Law (S.L.) 2015-286, Section 4.15. (c) requires reporting of progress by the Commission for Public Health to the Environmental Review Commission and the Joint Legislative Oversight Committee on Health and Human Services until all rules required pursuant to S.L. 2015-286, Sections 4.14 and 4.15 are adopted or amended.

This report is submitted by the Department of Health and Human Services (DHHS) Division of Public Health on behalf of the Commission for Public Health. This report reflects the progress on adoption or amendment of the rules referenced in the legislation's Section 4.14 (**Part 1 of the report**) and the rulemaking specifications described in Section 4.15 (**Part 2 of the report**). The legislation addresses rules governing on-site wastewater systems, including a new "engineered option permit" (EOP) for on-site wastewater systems. General details of the relevant sections and sub-sections are provided below, followed by a description of the collective status of related rulemaking efforts and projected next steps.

PART 1: SESSION LAW 2015-286, SECTION 4.14

S.L. 2015-286, Section 4.14. (k) requires the Commission for Public Health to adopt temporary rules pursuant to Sections 4.14. (a) through 4.14. (e), Section 4.14. (g), and Section 4.14. (j) no later than June 1, 2016 and requires the adoption of permanent rules no later than January 1, 2017. The statutory changes in these Sections and associated rule-making status are summarized below:

Section 4.14. (a) addresses amendments to G.S. 130A-334 in the form of additional terms and definitions related specifically to the Engineered Option Permit (EOP) established in Section 4.14. (c) of the Session Law.

- The permanent Rule for the EOP was adopted April 1, 2017.

Section 4.14. (b) addresses amendments to G.S. 130A-335 primarily related to the EOP, including specification of required licensure for private sector professionals who may perform site evaluations in addition to Local Health Department (LHD) personnel. This section also requires rules adopted by the Commission implementing the EOP to be at least as stringent as existing Commission rules for on-site wastewater systems.

- The permanent Rule for the EOP was adopted April 1, 2017.
- The ongoing complete revision of 15A NCAC 18A .1900 that is in process will satisfy any further requirements for permanent rule adoption.

Section 4.14. (c) addresses amendment to Article 11 of Chapter 130A of the General Statutes with the addition of a new section, G.S. 130A-336.1 *Alternative process for wastewater system approvals* (which establishes the EOP).

- The permanent Rule for the EOP was adopted April 1, 2017.

Section 4.14. (d) addresses amendments to G.S. 130A-338 for the EOP as it affects issuance of construction permits by building code enforcement officials.

- Both temporary and permanent rule changes are required by this report and these have been implemented. However, this statutory change stands alone and thus does not necessitate rule revision.

Section 4.14. (e) addresses amendments to G.S. 130A-339 for the EOP as it affects allowance of permanent electrical service by building code enforcement officials.

- Both temporary and permanent rule changes are required by this report and these have been implemented. However, this statutory change stands alone and thus does not necessitate rule revision.

Section 4.14. (g) addresses amendments to G.S.130A-336 for the EOP including: Specification of required licensure for private sector professionals who may perform site evaluations in addition to Local Health Department (LHD) personnel; no effect on validity of permits upon change of property ownership; and requirement that Local Health Departments act on applications within a specified period of time or risk losing public health funding.

- This statutory change stands alone and does not necessitate rule revision. Department of Health and Human Services Division of Public Health On-Site Water Protection Branch (OSWPB) staff are making permanent rule changes as part of the ongoing complete revision of 15A NCAC 18A .1900 rules that is in process.

Section 4.14. (j) addresses amendments to G.S. 130A-342 described in the Session Law regarding Operator Certification requirements for residential wastewater treatment systems approved under NSF-International Standard 40 (*NSF International is the nationally recognized certification and testing organization that has developed Standard 40 which is widely accepted as a basis for approving proprietary wastewater treatment systems. The North Carolina General Assembly first recognized the applicability of NSF Standard 40 by its initial adoption of G.S. 130A-342 in 1989*).

- This statutory change stands alone and does not necessitate rule revision. Written guidance has been provided, distributed to the environmental health list serves, and posted on the Branch's webpage. In addition, the Commission for Public Health has made changes to rule language as part of the rulemaking effort to repeal current on-site wastewater rules in 15A NCAC 18A .1900 and adopt a new on-site wastewater rule framework at 15A NCAC 18E.

Status of Activities pursuant to Section 4.14

The permanent rule for the Engineered Option Permit (EOP) was adopted April 1, 2017.

PART 2: SESSION LAW 2015-286, SECTION 4.15

Sections slated for Permanent Rules only are:

- **Section 4.15. (a)** – Amendments to G.S. 130A-343 regarding approval of on-site wastewater systems.
- **Section 4.15. (b)** – Implementation of Section 4.15. (a).

Status of Activities around Section 4.15

- The Commission for Public Health has made changes to rule language as part of the rulemaking effort to repeal current on-site wastewater rules in 15A NCAC 18A .1900 and adopt a new on-site wastewater rule framework at 15A NCAC 18E. These rules are subject to legislative review during the current short session.

Next Steps for Implementation of Section 4.15

- The Division of Public Health and Commission for Public Health are awaiting action by the General Assembly regarding next steps in the implementation of the 15A NCAC 18E rules.