

Greg Vance

From: Greg Vance
Sent: Monday, January 4, 2021 8:34 AM
To: Stephanie McKoy; Jonathan Schroyer
Subject: RE: Adding General Statue Information to Permit Reports - High Priority
Attachments: PM_PI_SR_Residential_Permit_Package-GS Update.pdf;
PM_PI_SR_Commercial_Permit_Package-GS Update.pdf;
PM_PI_SR_Manufactured_Home_Permit_Package-GS Update.pdf;
PM_PI_SR_Trade_Permit-GS Update.pdf; PM_PI_SR_Demo_Permit_Package-GS Update.pdf

Happy New Year folks. I am once again reporting to the Legislature on our appeals process and thought "You know, I don't remember seeing this on the permits." So I pulled a few permits and guess what! It's not there. So much for this being "High Priority". Have I mentioned how much I hate Tyler lately. Furthermore, Tim Gull is retiring January 31 so I will need to update the contact for Building. The ad is in place for his replacement but no interviews have been performed so I can't provide a who to change it to yet. Please check on this.



Wake County Planning, Development, & Inspections
Wake County Office Building
336 Fayetteville Street, Suite 101
PO Box 550, Raleigh, NC 27602-0550
Phone: 919-856-6060
Fax: 919-856-6229

<https://energovcitizenaccess.tylertech.com/WakeCountyNC/SelfService>

RESIDENTIAL BUILDING PERMIT

P&I - Residential Building / Single Family Dwelling

PIN: 2704220877

Permit # RBPR-042468-2020

Project Site: 9505 EARPSBORO CHAMBLEE RD WENDELL, 27591

Description: WYATT LEON GAY PROPERTY - 1 STORY SFD 3 BEDROOM 4 BATHROOM 1 GARAGE
FRONT PORCH PREFAB 35323 SQ/FT HEATED 1232 SQ/FT GARAGE

Finished Sq Ft: 4,764

Project Cost: \$400,000.00

Issued Date: 12/23/2020

Number of Stories: 1

Number Finished Bdrms: 3.00

Number of Unfin. Bdrms:

Basement: No

Garage:

Sunroom:

Porches: Front

Decks: No

Fireplaces Masonry:

Prefab Solid Fuel:

Prefab Gas: 1

Water Supply Source: On-site Private Well

Provider:

Wastewater Disposal Type:

Provider:

Total Impervious Surface Permitted: 0

As Build Required:

CONTRACTOR TYPE	NAME	LIC#
Building Contractor	MATTHEW LEE	76582
Electrical Contractor	Jeffrey A Holland	I.30129
Mechanical Contractor	Brandon Baker	L.34239 H3 C1
Plumbing Contractor	Billy Creech	

THE APPLICANT AGREES TO COMPLY WITH ALL BUILDING REGULATIONS AND OTHER LAWS APPLICABLE TO THE USE OF THE STRUCTURE AND FACILITIES REFERRED TO HEREIN. THE PERMIT ISSUED FOR WORK SHALL EXPIRE BY LIMITATION SIX MONTHS AFTER THE DATE OF ISSUANCE IF THE WORK AUTHORIZED HAS NOT BEEN COMMENCED. IF AFTER COMMENCEMENT THE WORK IS DISCONTINUED FOR A PERIOD OF 12 MONTHS, THE PERMIT THEREFORE SHALL IMMEDIATELY EXPIRE. NO WORK AUTHORIZED BY ANY PERMIT THAT HAS EXPIRED SHALL THEREFORE BE PERFORMED UNTIL A NEW PERMIT HAS BEEN SECURED.



Greg Vance

Permitting and Inspections Director

Wake County Government

Community Services / Planning, Development and Inspections

greg.vance@wakegov.com

919.856.6069 office | 919.524.4661 mobile

336 Fayetteville St.
PO Box 550
Raleigh, NC 27602
wakegov.com

From: Stephanie McKoy <Stephanie.McKoy@wakegov.com>
Sent: Friday, January 31, 2020 4:29 PM
To: Greg Vance <Greg.Vance@wakegov.com>; Jonathan Schroyer <Jonathan.Schroyer@wakegov.com>
Subject: RE: Adding General Statue Information to Permit Reports - High Priority

I hope so too. I'll follow up with her next week.

Stephanie McKoy

IT Systems Engineer
Wake County Government
Information Services
Stephanie.McKoy@wakegov.com
919.856.5768 office | 919.632.2359 mobile
Waverly F. Akins Wake County Office Building
337 S Salisbury St, Raleigh, NC 27601
www.wakegov.com

From: Greg Vance <Greg.Vance@wakegov.com>
Sent: Friday, January 31, 2020 2:55 PM
To: Stephanie McKoy <Stephanie.McKoy@wakegov.com>; Jonathan Schroyer <Jonathan.Schroyer@wakegov.com>
Subject: RE: Adding General Statue Information to Permit Reports - High Priority

Does this mean "put it into production"? I hope it does.

Greg Vance

Permitting and Inspections Director
Wake County Government
Community Services / Planning, Development and Inspections
greg.vance@wakegov.com
919.856.6069 office | 919.524.4661 mobile | 919.856.6443 fax
336 Fayetteville St.
PO Box 550
Raleigh, NC 27602
wakegov.com

From: Stephanie McKoy <Stephanie.McKoy@wakegov.com>
Sent: Friday, January 31, 2020 10:49 AM
To: Brovold, Mistie <mistie.brovold@tylertech.com>
Cc: Durham, Daniel <Daniel.Durham@tylertech.com>; Jonathan Schroyer <Jonathan.Schroyer@wakegov.com>; Greg Vance <Greg.Vance@wakegov.com>
Subject: RE: Adding General Statue Information to Permit Reports - High Priority

Hi Mistie!

This is great! Thanks so much! 😊 I saw those and didn't realize it was for the reports and now I know! 😊

Stephanie McKoy

IT Engineer

Wake County Government

Information Services

Stephanie.McKoy@wakegov.com

919.856.5768 office | 919.632.2359 mobile

Waverly F. Akins Wake County Office Building

337 S Salisbury St, Raleigh, NC 27601

www.wakegov.com

From: Brovold, Mistie <Mistie.Brovold@tylertech.com>

Sent: Friday, January 31, 2020 10:14 AM

To: Stephanie McKoy <Stephanie.McKoy@wakegov.com>

Cc: Durham, Daniel <Daniel.Durham@tylertech.com>; Jonathan Schroyer <Jonathan.Schroyer@wakegov.com>; Greg Vance <Greg.Vance@wakegov.com>

Subject: RE: Adding General Statue Information to Permit Reports - High Priority

CAUTION: This email originated from outside of the Wake County network. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Stephanie,

I understand the modifications to the text and will apply the changes as requested. I did create the names, email addresses, phone numbers and appeal process url as dynamic fields in the Report Text Library. Those field names are as listed below...

- Chief_Building_Inspector_Name
- Chief_Building_Inspector_Email
- Chief_Building_Inspector_Phone
- Chief_Electrical_Inspector_Name
- Chief_Electrical_Inspector_Email
- Chief_Electrical_Inspector_Phone
- Chief_Mechanical_Plumbing_Inspector_Name
- Chief_Mechanical_Plumbing_Inspector_Email
- Chief_Mechanical_Plumbing_Inspector_Phone
- Inspection_Appeal_Process_URL

Thanks,

Mistie Brovold

Report Developer

P: 605.323.2600 ext: 725208

www.tylertech.com

From: Stephanie McKoy <Stephanie.McKoy@wakegov.com>

Sent: Friday, January 31, 2020 8:34 AM

To: Brovold, Mistie <Mistie.Brovold@tylertech.com>
Cc: Durham, Daniel <Daniel.Durham@tylertech.com>; Jonathan Schroyer <Jonathan.Schroyer@wakegov.com>; Greg Vance <Greg.Vance@wakegov.com>
Subject: RE: Adding General Statue Information to Permit Reports - High Priority

Hi Mistie!

Thanks so much for getting this into TRAIN and UAT for us to review. We have a request if possible.

Can we have the font color and the font size be the same as the information above the new text? If due to sizing issue you can just change the color to black instead of red.

Also, since this information could change due to staffing, is it possible to make the fields editable using the text library? I think I requested this but if it is a lot of work to do then it can wait until after the upgrade.

I looked at a CBPR and the Commercial building Permit package.

Greg, you want the s
all caps of the text at
text right except may

CONTRACTOR TYPE NAME

THE APPLICANT AGREES TO COMPLY WITH ALL BUILDING REGULATIONS AND OTHER LAWS
THE STRUCTURE AND FACILITIES REFERRED TO HEREIN. THE PERMIT ISSUED FOR WORK
SIX MONTHS AFTER THE DATE OF ISSUANCE IF THE WORK AUTHORIZED HAS NOT BEEN COMPLETED
COMMENCEMENT THE WORK IS DISCONTINUED FOR A PERIOD OF 12 MONTHS, THE PERMIT
IMMEDIATELY EXPIRE. NO WORK AUTHORIZED BY ANY PERMIT THAT HAS EXPIRED SHALL
UNTIL A NEW PERMIT HAS BEEN SECURED.

If you question a code call made by your inspector, please discuss it with that inspector first. If you still have questions, contact the
Inspector of that trade.

Chief Building Inspector

Chief Electrical Inspector

Chief Mechanical and Plumbing Inspector

Tim Gull

Aden Branch

Fel Savane

tgull@wakegov.com

Steven.Branch@wakegov.com

Fel.Savane@wakegov.com

Let me know if you have any questions.

Thanks! 😊

Stephanie McKoy

IT Engineer

Wake County Government

Information Services

Stephanie.McKoy@wakegov.com

919.856.5768 office | 919.632.2359 mobile

Waverly F. Akins Wake County Office Building

337 S Salisbury St, Raleigh, NC 27601

From: Brovold, Mistie <Mistie.Brovold@tylertech.com>
Sent: Thursday, January 30, 2020 12:20 PM
To: Stephanie McKoy <Stephanie.McKoy@wakegov.com>
Cc: Durham, Daniel <Daniel.Durham@tylertech.com>; Jonathan Schroyer <Jonathan.Schroyer@wakegov.com>; Greg Vance <Greg.Vance@wakegov.com>
Subject: RE: Adding General Statue Information to Permit Reports - High Priority

CAUTION: This email originated from outside of the Wake County network. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Stephanie,

I would like to let you know the 5 listed Reports below have been updated in Train and UAT environments. Upon your review and approval, I will implement them into Production.

Thanks,

Mistie Brovold
Report Developer
P: 605.323.2600 ext: 725208

www.tylertech.com

From: Stephanie McKoy <Stephanie.McKoy@wakegov.com>
Sent: Wednesday, January 8, 2020 7:58 AM
To: Brovold, Mistie <Mistie.Brovold@tylertech.com>
Cc: Durham, Daniel <Daniel.Durham@tylertech.com>; Jonathan Schroyer <Jonathan.Schroyer@wakegov.com>; Greg Vance <Greg.Vance@wakegov.com>
Subject: Adding General Statue Information to Permit Reports - High Priority

Hi Mistie,

I hope you are doing well and having a good Wednesday so far.

I know you are working on some reports for our ES group but we got notified of some General Statue information that needs to be added to our permit reports ASAP. I was hoping that you could assist us in getting this information on the reports.

I'm attaching examples of each report and the language that needs to be added. It will be in red at the bottom of the first page.

This is the info that needs to be on the reports but is there a way to make name of the Supervisor, the email address, phone number and url link editable in the Report Text library? This way if someone leaves we can go in and edit the report ourselves.

If you question a code call made by your inspector, please discuss it with that inspector first. If you still have questions, please contact the Chief Inspector of that trade.

Chief Building Inspector
Chief Electrical Inspector
Chief Mechanical and Plumbing Inspector

Tim Gull
Aden Branch
Ed Savage

tgull@wakegov.com
Steven.Branch@wakegov.com
Ed.Savage@wakegov.com

(919) 524-4633
(919) 524-4597
(919) 524-4639

A copy of our Inspection Appeal Process can be found at <http://www.wakegov.com/inspect/Pages/Wake-County-Inspections-Appeals-.aspx>

Reports:

- P&I – Residential Permit Package
- P&I – Commercial Permit Package
- P&I – Manufactured Home Permit Package
- P&I – Demo Permit Package
- P&I – Trade Permit

Please let me know of any questions. I greatly appreciate the help.

Thanks!

Stephanie McKoy

IT Engineer

Wake County Government

Information Services

Stephanie.McKoy@wakegov.com

919.856.5768 office | 919.632.2359 mobile

Waverly F. Akins Wake County Office Building

337 S Salisbury St, Raleigh, NC 27601

www.wakegov.com

E-mail correspondence sent to and received from this address may be subject to disclosure under the North Carolina Public Records Act unless made confidential under applicable law.

E-mail correspondence sent to and received from this address may be subject to disclosure under the North Carolina Public Records Act unless made confidential under applicable law.