

STATE OF NORTH CAROLINA DEPARTMENT OF HEALTH AND HUMAN SERVICES

ROY COOPER
GOVERNOR

KODY H. KINSLEY
SECRETARY

November 1, 2022

SENT VIA ELECTRONIC MAIL

The Honorable Donny Lambeth, Chair Joint Legislative Oversight Committee on Health and Human Services North Carolina General Assembly Room 620, Legislative Office Building Raleigh, NC 27603

The Honorable Larry Potts, Chair Joint Legislative Oversight Committee on Health and Human Services North Carolina General Assembly Room 307B1, Legislative Office Building Raleigh, NC 27603 The Honorable Jim Burgin, Chair Joint Legislative Oversight Committee on Health and Human Services North Carolina General Assembly Room 308, Legislative Office Building Raleigh, NC 27603

Dear Chairmen:

Session Law 2021-180, Section 8.26.(f) requires the Commission for Public Health and the Department of Health and Human Services to report quarterly on their implementation of the pilot program for highly treated wastewater, beginning no later than May 1, 2022, and shall continue quarterly reporting until required rulemaking activities have been completed. Pursuant to the provisions of law, the Department is pleased to submit the attached report.

Should you have any questions regarding this report, please contact John Furnari, Program/Policy Analyst, at John.Furnari@dhhs.nc.gov.

Sincerely,

\$\$ [CI. \$ 250]

DocuSigned by:

Kody H. Kinsley

Secretary

cc: Mark Collins Joyce Jones Katherine Restrepo Lisa Wilks
Jessica Meed Theresa Matula Amy Jo Johnson Luke MacDonald

Nathan Babcock Francisco Celis Villagrana

LOCATION: 101 BLAIR DRIVE • ADAMS BUILDING • RALEIGH, NC 27603 MAILING ADDRESS: 2001 MAIL SERVICE CENTER • RALEIGH, NC 27699-2000 AN EQUAL OPPORTUNITY / AFFIRMATIVE ACTION EMPLOYER



STATE OF NORTH CAROLINA DEPARTMENT OF HEALTH AND HUMAN SERVICES

ROY COOPER
GOVERNOR

KODY H. KINSLEY
SECRETARY

November 1, 2022

SENT VIA ELECTRONIC MAIL

The Honorable Jimmy Dixon, Chair Environmental Review Commission North Carolina General Assembly Room 2226, Legislative Building Raleigh, NC 27601

The Honorable Pat McElraft, Chair Environmental Review Commission North Carolina General Assembly Room 634, Legislative Office Building Raleigh, NC 27603

The Honorable Larry Yarborough, Chair Environmental Review Commission North Carolina General Assembly Room 1229, Legislative Building Raleigh, NC 27601 The Honorable Norman Sanderson, Chair Environmental Review Commission North Carolina General Assembly Room 309, Legislative Office Building Raleigh, NC 27603

The Honorable Edward Goodwin, Chair Environmental Review Commission North Carolina General Assembly Room 2217, Legislative Building Raleigh, NC 27601

Dear Chairmen:

Session Law 2021-180, Section 8.26.(f) requires the Commission for Public Health and the Department of Health and Human Services to report quarterly on their implementation of the pilot program for highly treated wastewater, beginning no later than May 1, 2022, and shall continue quarterly reporting until required rulemaking activities have been completed. Pursuant to the provisions of law, the Department is pleased to submit the attached report.

Should you have any questions regarding this report, please contact John Furnari, Program/Policy Analyst, at <u>John.Furnari@dhhs.nc.gov</u>.

Sincerely,

D7816E4CBA6F4A8.. Kody H. Kinsley Secretary

cc: Mark Collins Joyce Jones Katherine Restrepo Lisa Wilks Jessica Meed Theresa Matula Amy Jo Johnson Luke MacDonald

Nathan Babcock Francisco Celis Villagrana

WWW.NCDHHS.GOV

Progress Report on Temporary and Permanent On-Site Wastewater Rules for Treatment System Applications

Session Law 2021-180, Section 8.26.(f), as amended by Session Law 2022-6, Section 2.12



Report to

The Joint Legislative Oversight Committee on Health and Human Services

by

NC Department of Health and Human Services Commission for Public Health

November 1, 2022

BACKGROUND

Beginning no later than May 1, 2022 and every quarter thereafter, Session Law (S.L.) 2021-180, Section 8.26.(f), as amended by S.L. 2022-6, Section 2.12, requires the Commission for Public Health (CPH) and Department of Health and Human Services (NCDHHS) to report on progress to adopt rules to provide for approval of treatment system applications for use in the State and create benefits for systems producing higher wastewater treatment levels that are proportional and graduated.

This report is submitted by the Department of Health and Human Services (DHHS) Division of Public Health (DPH) on behalf of CPH.

Status of Rulemaking Activities

On August 4, 2021, CPH repealed the existing on-site wastewater regulatory framework at 15A NCAC 18A Section .1900 and adopted a new on-site wastewater regulatory framework at 15A NCAC 18E. The on-site wastewater treatment system rules have not been updated as a complete package since 1990. In the intervening years, the industry has seen many technological advances, terminology has been standardized, and practical knowledge has been enhanced. The new rules update, clarify, and align the state's on-site wastewater rules with current practice and law, facilitate innovation, standardize terminology, and improve organization and consistency of application across the state.

The Rules Review Commission approved these rule actions on September 16, 2021. However, the rules were delayed pending legislative review during FY2022 short session. During the short session, Session Law 2022-11, Section 2 was passed, delaying the effective date of the 15A NCAC 18E rules until January 1, 2024 and keeping the 15A NCAC 18A .1900 rules in the code until this delayed effective date.

The rules that would need to be amended under S.L. 2021-180, Section 8.26.(e) are the same as those rules with a delayed effective date under Session Law 2022-11, Section 2.

Next Steps for Implementation

DPH and CPH will work in collaboration to ensure that the 15A NCAC 18E rules are timely updated in accordance with Section 8.26.(e) when they become effective on January 1, 2024. It is expected that only minor amendments would need to be made, as the majority of the changes required by Section 8.26.(e) have already been addressed in the 15A NCAC 18E rules.