

From: Doug Heyl

To: Julia White (julia.white@nc.gov)

Subject: Date: Attachments:

Heyl, Douglas

FW: ACP Update Notes - Jan. 3, 2018 Wednesday, January 3, 2018 1:36:00 PM [image001.png](#)

North Carolina Department of Environmental Quality 919.707.9034 (Office)  
919.812.3415 (Mobile)  
[douglas.hey@ncdenr.gov](mailto:douglas.hey@ncdenr.gov)

Email correspondence to and from this address is subject to the  
North Carolina Public Records Law and may be disclosed to third parties.

**From:** Munger, Bridget

**Sent:** Wednesday, January 03, 2018 1:04 PM

**To:** Holman, Sheila <[sheila.holman@ncdenr.gov](mailto:sheila.holman@ncdenr.gov)>

**Cc:** Heyl, Douglas <[Douglas.Heyl@ncdenr.gov](mailto:Douglas.Heyl@ncdenr.gov)>; Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)>

**Subject:** ACP Update Notes - Jan. 3, 2018

ACP Weekly Update Notes Jan. 3, 2018

DAQ: No written response has been received from Dominion following DAQ's request for additional information on the air quality permit application for the Northampton compressor station facility. Mike A. has reviewed draft hearing officer's report; it is in good shape.

DWR: In response to the fifth add-info request, Dominion submitted a revised cumulative analysis report on Dec. 20. Information submitted is under review to ensure that all the requested information has been provided. Final edits are being made to the hearing officer's report. Staff is meeting with Linda Culpepper tomorrow to discuss further.

DEMLR - E&SC: Staff will issue another letter of disapproval to Dominion by Jan. 4, which is the 15-day deadline date. The letter will include about 19 comments/items, which is down from 34 on the last letter of disapproval. There is no set deadline for Dominion to respond once the letter of disapproval is issued. Staff said the timeline is working out that we may be ready to issue an approval for the E&SC and construction stormwater permit application when the 401 certification issues are



resolved. Per standard procedures, DEMLR will not issue the E&SC or construction stormwater permit approval prior to 401/404 approvals.

DEMLR - Stormwater: No information has been received from Dominion in response to the DEMLR's requests for more information on the stormwater general permit and stormwater individual permit. Options for a public comment period are under discussion.

Bridget Munger  
Public Information Officer  
N.C. Department of Environmental Quality

From: [Wrenn, Brian L](#)

To: [Higgins, Karen](#); [Burdette, Jennifer a](#)  
Subject: Date: Attachments:

RE: ACP Well Testing  
Thursday, January 4, 2018 12:54:46 PM [image001.png](#)

Ok, I think I have the comments and edits from both of you resolved. Karen, I made one change to the appendices order and double checked the references in the text but no changes to the Appendices other than that. I've included the well testing language about complaints, added the 500 feet zone around blasting, and the cumulative analysis write-up as well. I think that covers it. I've saved the [report](#) with today's date. Let me know what you think. Thanks.

Brian Wrenn 919-743-8409 (office) 919-491-2616 (cell)

**From:** Higgins, Karen

**Sent:** Thursday, January 04, 2018 9:47 AM

**To:** Burdette, Jennifer a <[Jennifer.Burdette@ncdenr.gov](mailto:Jennifer.Burdette@ncdenr.gov)>; Wrenn, Brian L <[brian.wrenn@ncdenr.gov](mailto:brian.wrenn@ncdenr.gov)>

**Subject:** Re: ACP Well Testing

agreed

Thanks- Karen

Karen Higgins

401 & Buffer Permitting Branch Supervisor Division of Water Resources  
Department of Environmental Quality

919 807-6360 office

From: [Wrenn, Brian L](#)

To: [Higgins, Karen](#); [Burdette, Jennifer](#)

Subject: [a](#) FW: ACP HO report

Date: Friday, January 5, 2018 9:17:45 AM

Not sure if either of you got in this am, but I'm at home with one sick child and another out of school due to snow. The Secretary's office wants to review the HO report prior to sending to Linda. I told Bridget we would send a copy to them when we send to Jeff. I doing another read through right now. When do you think you can finish your review? Thanks!

Brian Wrenn 919-743-8409 (office) 919-491-2616 (cell)

**From:** Munger, Bridget

**Sent:** Friday, January 05, 2018 8:56 AM

**To:** Wrenn, Brian L <[brian.wrenn@ncdenr.gov](mailto:brian.wrenn@ncdenr.gov)> **Subject:** RE: ACP HO report

That sounds great. Thanks!

**From:** Wrenn, Brian L

**Sent:** Friday, January 5, 2018 8:44 AM

**To:** Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> **Subject:** Re: ACP HO report

I think the HO report is their focus this am. If it's ok, we can send the draft to you when we send it to Jeff to review. Thanks.

Sent from my iPhone

On Jan 5, 2018, at 8:09 AM, Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> wrote:

Hi Brian,

If Karen and Jennifer will be looking at the report today, I can wait for that draft. Please let me know what you prefer.

Thank you!

Bridget

(Working at home this morning: 919-268-0069)

**From:** Wrenn, Brian L

**Sent:** Thursday, January 4, 2018 7:25 PM

**To:** Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> **Subject:** ACP HO report

Please make it known that this has not gone through final revisions. Some of the cumulative impact language is new and neither Karen nor Jennifer have reviewed it at all. Thanks.

From:

To: Subject: Date:

Brian-

Higgins, Karen

Wrenn, Brian L; Burdette, Jennifer a RE: ACP HO report  
Friday, January 5, 2018 11:37:00 AM

Just a few minor suggestions highlighted in yellow. I don't think Jennifer will review this today so please go ahead and send to Jeff and others.

Since the department is reviewing the documents before going to Linda, I'm not sure that it will be ready for her by Monday. Should we try to reschedule for later in the week? We could try for after the EMC on Thursday (maybe 3:30) or Friday (maybe 8:45 or 2:00).

Thanks- Karen

Karen Higgins

401 & Buffer Permitting Branch Supervisor Division of Water Resources  
Department of Environmental Quality

(919) 807-6360 office

[karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov)

<https://deq.nc.gov/about/divisions/water-resources/water-resources-permits/wastewater-branch/401-wetlands-buffer-permits>

512 N. Salisbury Street (Archdale Building), Suite 942-E, Raleigh, NC 27604 1617 Mail Service Center, Raleigh, NC 27699-1617

Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

**From:** Wrenn, Brian L

**Sent:** Friday, January 05, 2018 9:18 AM

**To:** Higgins, Karen <[karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov)>; Burdette, Jennifer a <[Jennifer.Burdette@ncdenr.gov](mailto:Jennifer.Burdette@ncdenr.gov)>

**Subject:** FW: ACP HO report

Not sure if either of you got in this am, but I'm at home with one sick child and another out of school due to snow. The Secretary's office wants to review the HO report prior to sending to Linda. I told Bridget we would send a copy to them when we send to Jeff. I doing another read through right now. When do you think you can finish your review? Thanks!

Brian Wrenn 919-743-8409 (office)

**From:** Munger, Bridget  
**Sent:** Friday, January 05, 2018 8:56 AM  
**To:** Wrenn, Brian L <[brian.wrenn@ncdenr.gov](mailto:brian.wrenn@ncdenr.gov)> **Subject:** RE: ACP HO report

That sounds great. Thanks!

**From:** Wrenn, Brian L  
**Sent:** Friday, January 5, 2018 8:44 AM  
**To:** Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> **Subject:** Re: ACP HO report

I think the HO report is their focus this am. If it's ok, we can send the draft to you when we send it to Jeff to review. Thanks.

Sent from my iPhone  
On Jan 5, 2018, at 8:09 AM, Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> wrote:

Hi Brian,  
If Karen and Jennifer will be looking at the report today, I can wait for that draft. Please let me know what you prefer.  
Thank you!  
Bridget  
(Working at home this morning: 919-268-0069)

**From:** Wrenn, Brian L  
**Sent:** Thursday, January 4, 2018 7:25 PM  
**To:** Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> **Subject:** ACP HO report

Please make it known that this has not gone through final revisions. Some of the cumulative impact language is new and neither Karen nor Jennifer have reviewed it at all. Thanks.

Brian L. Wrenn  
Ecosystems Branch Chief Water Sciences Section  
NC Division of Water Resources 919-743-8409 (office) 919-491-2616 (cell)

*Physical Address:*

4401 Reedy Creek Road Raleigh, NC 27607

*Mailing Address:*

1621 Mail Service Center Raleigh, NC 27699-1623

From: [Wrenn, Brian L](#)

To: [Higgins, Karen](#); [Burdette, Jennifer a](#)

Subject: FW: ACP hearing officer's report

Date: Friday, January 5, 2018 12:19:39 PM

Attachments:

FYI

[ACP\\_hearing officers rept\\_01052018.docx](#)

Brian Wrenn 919-743-8409 (office) 919-491-2616 (cell)

**From:** Wrenn, Brian L

**Sent:** Friday, January 05, 2018 12:19 PM

**To:** Poupart, Jeff <[jeff.poupart@ncdenr.gov](mailto:jeff.poupart@ncdenr.gov)>

**Cc:** Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> **Subject:** ACP hearing officer's report

Jeff,

Please find attached the draft hearing officer's report for the ACP project. If you have any questions, please do not hesitate to contact me. I'm at home with kids, so try my cell (919-491-2616). Thanks.

Brian L. Wrenn

Ecosystems Branch Chief Water Sciences Section

NC Division of Water Resources 919-743-8409 (office) 919-491-2616 (cell)

*Physical Address:*

4401 Reedy Creek Road Raleigh, N 19681C 27607

From: To: Subject: Date:

Burdette, Jennifer a

[Wrenn, Brian L](#)

RE: ACP hearing officer's report Friday, January 5, 2018 4:15:00 PM

Sorry for missing your call this morning. I was deep into the draft of the 401. Before I left, I just wanted to thank you for all of your help with this project. I enjoyed and learned a lot working with you.

Take care, Jennifer

Jennifer Burdette

401/Buffer Coordinator  
Division of Water Resources - 401 & Buffer Permitting Branch Department of Environmental Quality  
919 807 6364 office  
[jennifer.burdette@ncdenr.gov](mailto:jennifer.burdette@ncdenr.gov)

1617 Mail Service Center Raleigh, NC 27699-1617

(Physical Address: 512 N. Salisbury St, Raleigh, NC 27604 - 9<sup>th</sup> Flr Archdale Bldg – Room 942F) Email correspondence to and from this address is subject to the

North Carolina Public Records Law and may be disclosed to third parties.

**From:** Wrenn, Brian L

**Sent:** Friday, January 05, 2018 12:20 PM

**To:** Higgins, Karen <[karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov)>; Burdette, Jennifer a <[Jennifer.Burdette@ncdenr.gov](mailto:Jennifer.Burdette@ncdenr.gov)>

**Subject:** FW: ACP hearing officer's report

FYI

Brian Wrenn 919-743-8409 (office) 919-491-2616 (cell)

**From:** Wrenn, Brian L

**Sent:** Friday, January 05, 2018 12:19 PM

**To:** Poupart, Jeff <[jeff.poupart@ncdenr.gov](mailto:jeff.poupart@ncdenr.gov)>

**Cc:** Munger, Bridget <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> **Subject:** ACP hearing officer's report

Jeff,

Please find attached the draft hearing officer's report for the ACP project. If you have any questions, please do not hesitate to contact me. I'm at home with kids, so try my cell (919-491-2616). Thanks.

Brian L. Wrenn

Ecosystems Branch Chief Water Sciences Section

NC Division of Water Resources 919-743-8409 (office) 919-491-2616 (cell)



From: [Wrenn, Brian L](#)

To: [Higgins, Karen](#)  
[Poupart, Jeff](#)  
Cc:

Subject: Re: ACP - Draft Decision Documents

Date: Sunday, January 21, 2018 8:58:42 PM

Karen,

I accepted all of the edits on the HO rept. I looked at the 401 one last time. In condition 16, it references an exemption from condition #13. should that be #15 instead?

I'll sign the document and send it to Linda, copying you and Jeff. Thanks for all of your help on this.

**From:** Higgins, Karen

**Sent:** Friday, January 19, 2018 9:26:01 PM **To:** Wrenn, Brian L

**Cc:** Poupart, Jeff

**Subject:** Re: ACP - Draft Decision Documents

Brian-

Attached are a revised 401 and HO report. I made the edits to the HO report based on your comments in the 401 and reviewed a couple other places as well. I used the HO report I sent yesterday with those track changes accepted, so the only track changes you see are those I made today.

I also made the recommended changes to the draft 401.

Please let me know if you have any further comments/changes for either document.

Thanks- Karen

Karen Higgins

401 & Buffer Permitting Branch Supervisor Division of Water Resources  
Department of Environmental Quality

919 807-6360 office [karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov)

**From:** Higgins, Karen

**Sent:** Thursday, January 18, 2018 10:00 PM

**To:** Wrenn, Brian L <brian.wrenn@ncdenr.gov>; Poupart, Jeff <jeff.poupart@ncdenr.gov>

**Subject:** ACP - Draft Decision Documents

Attached please find the draft 401 certification for ACP as well as the draft denial letter. Please review and send me any edits/comments etc. If you make edits in the document(s) please use track changes so I can look at them easily.

Please send me comments tomorrow if possible, or at least Monday morning.

Thanks- Karen

Karen Higgins

401 & Buffer Permitting Branch Supervisor Division of Water Resources  
Department of Environmental Quality

919 807-6360 office

From: [Wrenn, Brian L](#)

To: [Culpepper, Linda](#)

Cc: [Poupart, Jeff](#); [Higgins, Karen](#)

Subject: ACP Hearing Officer's report

Date: Monday, January 22, 2018 8:41:00 AM

Attachments: [ACP\\_hearing officers rept\\_01222018.pdf](#)

Linda,

Please find attached for your review the Hearing Officer's report for the Atlantic Coast Pipeline project. I am happy to discuss this with you if you have any questions or comments. Thanks!

Brian L. Wrenn

Ecosystems Branch Chief Water Sciences Section

NC Division of Water Resources 919-743-8409 (office) 919-491-2616 (cell)

From: [Munger, Bridget](#)

To: [Holman, Sheila](#); [Heyl, Douglas](#)

Subject: Fwd: ACP Hearing Officer's report

Date: Monday, January 22, 2018 2:51:28 PM

Attachments: [ACP\\_hearing officers rept\\_01222018.pdf](#) [ATT00001.htm](#)

Please see attached.

Sent from my iPhone Begin forwarded message:

From: "Higgins, Karen" <[karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov)> To: "Munger, Bridget" <[bridget.munger@ncdenr.gov](mailto:bridget.munger@ncdenr.gov)> Subject: FW: ACP Hearing Officer's report

FYI

Thanks- Karen

[Karen Higgins](#)

401 & Buffer Permitting Branch Supervisor Division of Water Resources  
Department of Environmental Quality

(919) 807-6360 office

[karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov) <https://deq.nc.gov/about/divisions/water-resources/water-resources-permits/wastewater-branch/401-wetlands-buffer-permits>

512 N. Salisbury Street (Archdale Building), Suite 942-E, Raleigh, NC 27604 1617 Mail Service Center,  
Raleigh, NC 27699-1617

Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

**From:** Wrenn, Brian L

**Sent:** Monday, January 22, 2018 8:42 AM

**To:** Culpepper, Linda <[linda.culpepper@ncdenr.gov](mailto:linda.culpepper@ncdenr.gov)>

**Cc:** Poupart, Jeff <[jeff.poupart@ncdenr.gov](mailto:jeff.poupart@ncdenr.gov)>; Higgins, Karen <[karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov)>

**Subject:** ACP Hearing Officer's report

Linda,

Please find attached for your review the Hearing Officer's report for the Atlantic Coast

Pipeline project. I am happy to discuss this with you if you have any questions or comments. Thanks!

Brian L. Wrenn  
Ecosystems Branch Chief Water Sciences Section  
NC Division of Water Resources 919-743-8409 (office)

From: [Higgins, Karen](#)

To: [Culpepper, Linda](#)

Subject: draft 401 decision documents

Date: Tuesday, January 23, 2018 1:22:54 PM

Attachments: [140957v2AtlanticCoastPipeline\(Multi\)\\_401\\_IC\\_NRB\\_TAR\\_2.docx](#)  
[140957v2AtlanticCoastPipeline\(Multi\)\\_401\\_IC\\_NRB\\_TAR\\_DENIAL.docx](#)

Linda-

Attached please find an electronic copy of the draft 401 decision documents for ACP. I'm working on the bullet points.

Thanks- Karen

Karen Higgins

401 & Buffer Permitting Branch Supervisor Division of Water Resources  
Department of Environmental Quality

(919) 807-6360 office

**Subject:** DWR Discussion - ACP

**Location:** DENR\_GS - Rm 5301 - 10 Seats - Morrow Mount

**Start:** Wed 1/24/2018 11:30 AM Wed 1/24/2018 12:15 PM Tentative

**End:**

**Show Time As:**

**Recurrence: Meeting Status:**

**Organizer:**

**Required Attendees:**

Linda-

(none)

Not yet responded

Higgins, Karen

Culpepper, Linda; Wrenn, Brian L; Poupart, Jeff

We wanted to block some time with you to go over the HO Report and 401 decision documents if you had any questions. I gave Bridgette a hard copy of the HO Report, draft 401 certification and draft denial.

Thanks- Karen

127

000000

---

**Subject: Location:**

**Start:**

**End:**

**Show Time As:**

**Recurrence: Meeting Status:**

**Organizer:**

**Required Attendees:**

(none) Accepted

Canceled: ACP Team Meeting  
DENR\_GS - Rm 5212 - 14 seats - Bodie Island Lighthouse

Mon 1/22/2018 1:00 PM Mon 1/22/2018 1:30 PM Free

Lucey, John D  
Heyl, Douglas; Kritzer, Jamie; Jill Warren Lucas; Munger, Bridget; Leonard, Laura



From: Higgins, Karen

To: Morris-McLawhorn, Bridgette R  
Culpepper, Linda

Cc:  
Subject: ACP - word document

Date: Thursday, January 25, 2018 3:40:34 PM

Attachments: [140957v2AtlanticCoastPipeline\(Multi\)\\_401\\_IC\\_NRB\\_TAR\\_3.docx](#)

Bridgette-

I put a paper copy of the 401 certification for ACP on your desk today – there are two places for Linda to sign. I will not be in the office tomorrow, so if Linda wants any changes to the 401, I've attached the word document to this email so you can edit as needed. If you do make any changes to the word document, will you please send me the final word version document for our records?

Also, on the bottom of page two you'll see email addresses for Richard Gangle and Spencer Trichell. Once (if) Linda signs the 401, will you please email them a scanned copy of the signed document, and cc me as well?

Thanks- Karen

Karen Higgins

401 & Buffer Permitting Branch Supervisor Division of Water Resources  
Department of Environmental Quality

(919) 807-6360 office

[karen.higgins@ncdenr.gov](mailto:karen.higgins@ncdenr.gov)

<https://deq.nc.gov/about/divisions/water-resources/water-resources-permits/wastewater-branch/401-wetlands-buffer-permits>